

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr


VK/09033

VK/09033

Ceiling recessed gypsum light round LED with driver 220-240V, 20W, 3000K, 1.691lm, CRI>80, IP20, possibility to paint, ø33x9.7cm, white



IP20     

Dimensions	Gallery	Downloads
 9.7 cm ø33 cm  Cut hole 33.5cm 9cm	 	 FILES  FOTO  CE

Technical Specifications	
Kelvin	3000K
Power	20W
Voltage	220-240V
Fitting	Recessed gypsum spots
Type	LED light
Safety class	
Light source	SMD 2835
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	30.000hrs
Working temperature	< 45°C
PAGE	301 Technical 2024

Physical Specifications	
Recessed ceiling	Yes
Color	White
Material	Gypsum
Width	ø33cm
Length	ø33cm
Height	9.7cm
Net weight of product (kg)	2.16
Gross weight with inner box (kg)	3.12
Gross weight with master box (kg)	13.68
Cut out	ø33.5x9cm

Illumination Data	
Lumen	1.691lm
Lighting direction	

Packing Info	
Pcs/carton	4pcs

Certification & Warranty	
Guarantee	2 years

Energy Label



VK LEADING LIGHT
VK/09033

A

B

C

D

E

F

G

20

kWh/1000h



2019/2015

VK Leading Light

Since 1978

3