




**PROJECT**

**TYPE**

**NOTES**

**QUANTITY**

**DATE**



**Luminaire**

Ceiling  
Suspended  
Dark Taupe White  
IP20  
Interior  
440 lm

**Module**

colour warm dimming  
1800 - 2850 K  
CRI  $\geq$  90  
L80 / 50000h  
initial MacAdam  $\leq$  3 SDCM  
890 lm  
74 lm/W <sup>a</sup>

**Optical**

CIE flux code: 69 85 94 87 100

**Electrical**

phase-cut dim  
220 - 240 V  
system 12.0 W  
Class 2

**Physical**

diameter 300 mm  
height 173 mm  
2.7 kg  
cable length 4000 mm

<sup>a</sup> Without electrical losses


**MOUNTING ACCESSORIES**
**Cable Wall-Ceiling Bracket**

| Type | Colour | Voltage | Ø·H (MM) | Item number |
|------|--------|---------|----------|-------------|
|      | White  |         | 16-30    | 90019197    |
|      | Black  |         | 16-30    | 90019198    |

**Hook**

| Type                           | Colour | Voltage | Ø·H (MM) | Item number |
|--------------------------------|--------|---------|----------|-------------|
| standard multi suspension hook | Black  |         | 3-83     | 90052024    |
| standard multi suspension hook | White  |         | 3-83     | 90052025    |
| optional multi suspension hook | Black  |         | 5-90     | 90052065    |
| optional multi suspension hook | White  |         | 5-90     | 90052066    |

**Hook short**

| Type                          | Colour | Voltage | Ø·H (MM) | Item number |
|-------------------------------|--------|---------|----------|-------------|
| for cable 4.25-5.5mm diameter | White  |         | 15-35    | 90052079    |
| for cable 4.25-5.5mm diameter | Black  |         | 15-35    | 90052080    |

**Invisible ceiling base**

| Type | Colour | Voltage | L·W (MM) | Item number |
|------|--------|---------|----------|-------------|
|      | Black  |         | 140-66   | 90015195    |
|      | White  |         | 140-66   | 90015196    |

**Multiple base linear**

| Type                    | Colour | Voltage | L·W·H (MM) | Item number |
|-------------------------|--------|---------|------------|-------------|
| up to max. 2 luminaires | White  |         | 600-30-45  | 90052007    |
| up to max. 2 luminaires | Black  |         | 600-30-45  | 90052008    |
| up to max. 3 luminaires | White  |         | 900-30-45  | 90052009    |
| up to max. 3 luminaires | Black  |         | 900-30-45  | 90052010    |
| up to max. 4 luminaires | White  |         | 1200-30-45 | 90052011    |
| up to max. 4 luminaires | Black  |         | 1200-30-45 | 90052012    |
| up to max. 5 luminaires | White  |         | 1500-30-45 | 90052013    |
| up to max. 5 luminaires | Black  |         | 1500-30-45 | 90052014    |

**Multiple base round**

| Type                    | Colour | Voltage | Ø·H (MM) | Item number |
|-------------------------|--------|---------|----------|-------------|
| up to max. 4 luminaires | White  |         | 123-44   | 90052005    |
| up to max. 4 luminaires | Black  |         | 123-44   | 90052006    |
| up to max. 8 luminaires | White  |         | 123-44   | 90052031    |
| up to max. 8 luminaires | Black  |         | 123-44   | 90052032    |

**Semi recessed base round**

| Type                               | Colour | Voltage | Ø·H (MM) | Item number |
|------------------------------------|--------|---------|----------|-------------|
| for shades without steel wire only | White  |         | 84-72    | 90052026    |
| for shades without steel wire only | Black  |         | 84-72    | 90052027    |

**Single base round**

| Type | Colour | Voltage | Ø·H (MM) | Item number |
|------|--------|---------|----------|-------------|
|      | Black  |         | 84-29    | 90052021    |
|      | White  |         | 84-29    | 90052022    |



| Wall Base<br>Type | Colour | Voltage | Ø-H (MM) | Item number |
|-------------------|--------|---------|----------|-------------|
| for 1 luminaire   | White  |         | 82-32    | 90019195    |
| for 1 luminaire   | Black  |         | 82-32    | 90019196    |