


06 Downlights Fixed LED>The IP54 Bathroom Downlights

10107B/W/C



7W LED recessed downlight, IP54. Suitable for bathroom installations.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification



Item Group	06 Downlights Fixed LED
Family	The IP54 Bathroom Downlights
Order Code	10107B/W/C
Colour	White
Material	Die Cast
Diffuser Material	Plastic
Shape	Circular

Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor
Outdoor
Adjustable


45mm
80mm
65mm
Yes
70mm
Yes
Yes
No

Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

External-Included
100-240V
Yes
Yes

7W
IP54
LED built in
No


Fitting
Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source


Constant Current
260mA
22V

6W
IP54
LED built in

LED Type
LED Brand
LED Number
F Mark

SMD 2835
Epistar
14


Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
Output
Voltage Range
IP Rating
Safety Class
Dimmable
Ambient Temp
Operating Temp
Housing Material
Output Terminal
Brand
Protection

Led Driver
100-240V
Yes
Yes
3,9-6,2W
0,9
Yes
260mA
15-22V
IP20

No
45°C
85°C
Plastic
Cable
0
Short Circuit and Overload

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle


4000K
540lm
77,14lm/W
80
90°



Packing Info

Box Length	10cm
Box Width	10cm
Box Height	9cm
Box Weight	0,225Kg
Pcs/Carton	50
Barcode	5291889043195
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Average Lifetime	40000hrs
Weee Directive	Yes

switch to
one light!

