

02 Recessed Spots Fixed LED>The COB Dark Light Range

10107DL/W/W



7W COB LED recessed spot IP65.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A

Related items



89015AT

Physical Specification


Item Group	02 Recessed Spots Fixed LED
Family	The COB Dark Light Range
Order Code	10107DL/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	53mm
Cutout Hole Diameter	42mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting


Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	7W
IP Rating	IP65
Light Source	LED built in
LED Type	COB

LED Brand
Cable Length
F Mark

Bridgelux
40cm


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
450lm
64,3lm/W
90
38°

Yes

Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

6,5cm
6,5cm
9,5cm
0,189kg
50
5291889048756
9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

