




Product Datasheet

02 Recessed Spots Fixed LED>The 8W Range

10108D/W/W



8W COB LED Dark light recessed Spot.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions







Physical Specification


Item Group	02 Recessed Spots Fixed LED
Family	The 8W Range
Order Code	10108D/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	88mm
Cutout Hole Diameter	73mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	24V
Safety Class	<u></u>
Power(Watts)	7,2W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Sanan
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,75-15,2W
Power Factor	0,9
Constant Current	Yes
300mA	14-24
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Protection	Short Circuit and Overload
Illumination Data	
Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	75lm/W
CRI	
	80
Beam Angle	80 36°
Beam Angle Illumination Diagram	
	36°
Illumination Diagram	36°
Illumination Diagram	36°
Illumination Diagram Dark Light	36°
Illumination Diagram Dark Light	36°
Illumination Diagram Dark Light Packing Info	36° Yes
Illumination Diagram Dark Light Packing Info Box Length	36° Yes 10,5cm
Illumination Diagram Dark Light Packing Info Box Length Box Width	36° Yes 10,5cm
Dark Light Packing Info Box Length Box Width Box Height	36° Yes 10,5cm 10,5cm 8,5cm
Illumination Diagram Dark Light Packing Info Box Length Box Width Box Height Pcs/Carton	36° Yes 10,5cm 10,5cm 8,5cm

Energy Label



Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to one light!

