




05 Downlights Fixed>The IP20 SMD Dark Light Range CCT V

10109D/B/V



12W CCT Variable Dark Light LED Downlight .

Complete with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

|            |                                     |
|------------|-------------------------------------|
| Item Group | 05 Downlights Fixed                 |
| Family     | The IP20 SMD Dark Light Range CCT V |
| Order Code | 10109D/B/V                          |
| Colour     | Black                               |
| Material   | Die Cast                            |
| Shape      | Circular                            |
| Height     | 50mm                                |

|                      |       |
|----------------------|-------|
| Diameter             | 120mm |
| Cutout Hole Diameter | 110mm |
| Recessed Ceiling     | Yes   |
| Depth Required       | 70mm  |
| Indoor               | Yes   |
| Adjustable           | No    |
| IK Rating            | 7     |

Electrical Characteristics

|                  |                                                                                       |
|------------------|---------------------------------------------------------------------------------------|
| Gear             | External-Included                                                                     |
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |  |
| Power(Watts)     | 12W                                                                                   |
| IP Rating        | IP20                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |
| F Mark           |  |

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Fitting       |                                                                                       |
| Input Type    | Constant Current                                                                      |
| Input Current | 300mA                                                                                 |
| Safety Class  |  |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |
| LED Type      | SMD                                                                                   |

|      |
|------|
| Gear |
|------|

|               |
|---------------|
| Gear Type     |
| Input Voltage |
| 50 Hz         |
| 60 Hz         |
| Output        |
| IP Rating     |
| Safety Class  |
| Dimmable      |

|                                                                                     |
|-------------------------------------------------------------------------------------|
| Led Driver                                                                          |
| 220-240V                                                                            |
| Yes                                                                                 |
| Yes                                                                                 |
| 300mA                                                                               |
| IP20                                                                                |
|  |
| No                                                                                  |

Illumination Data

|                      |
|----------------------|
| Colour Temperature   |
| Lumen Output         |
| Light Efficiency     |
| CRI                  |
| Beam Angle           |
| Illumination Diagram |
| Dark Light           |

|                                                                                       |
|---------------------------------------------------------------------------------------|
| 3000K-4000K-5000K                                                                     |
| 1000lm                                                                                |
| 83lm/W                                                                                |
| 90                                                                                    |
| 100°                                                                                  |
|  |
| Yes                                                                                   |

Packing Info

|            |
|------------|
| Box Weight |
| Pcs/Carton |
| Barcode    |
| HS Code    |

|               |
|---------------|
| 0.360kg       |
| 40            |
| 5291889081159 |
| 9405413990    |

Certification & Warranty

switch to  
**one light!**

