

06 Downlights Fixed LED>The Dark Light Project Range

10118TD/W/W



18W LED recessed downlight, IP54. Suitable for Indoor/Outdoor installation.

Complete with 450mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification



Item Group	06 Downlights Fixed LED
Family	The Dark Light Project Range
Order Code	10118TD/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	86mm
Diameter	170mm
Cutout Hole Diameter	150mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes

Outdoor
Adjustable



Yes
No

Electrical Characteristics

Gear	
Fitting + Driver	
Input Voltage	
50 Hz	
60 Hz	
Safety Class	
Power(Watts)	
IP Rating	
Light Source	
Dimmable	
F Mark	


External-Included	
Fitting + Driver	
220-240V	
Yes	
Yes	
	
18W	
IP54	
LED built in	
No	
	

Fitting	
Input Type	
Input Current	
Voltage	
Safety Class	
Power(Watts)	
IP Rating	
Light Source	
LED Type	
LED Brand	
F Mark	

Constant Current
450mA
39V

17,55W
IP54
LED built in
SMD 2835
Epistar


Gear	
Gear Type	

Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,5-18W
Power Factor	0,9
Constant Current	Yes
450mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	ONE

Illumination Data

Colour Temperature	3000K
Lumen Output	1710lm
Light Efficiency	95lm/W
CRI	80
Beam Angle	60°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	19cm
Box Width	19cm
Box Height	9,6cm
Pcs/Carton	24
Barcode	5291889069683
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

