

## 04 Recessed Spots Adjustable LED > The Interchangeable Rings Range

### 11104K/B/W

Aluminium



4W COB LED adjustable recessed spot with interchangeable rings.

Ring must be ordered separately.

Requires 350/500mA driver.


Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Must be ordered separately



050100/B



050100/BS



050100/C



050100/CU



050100/W



89004





89004T

## Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The Interchangeable Rings Range Aluminium
Order Code	11104K/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	62mm
Diameter	68mm
Cutout Hole Diameter	60mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA/500mA
Safety Class	
Power(Watts)	3/5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	


## Illumination Data

Colour Temperature	3000K
Lumen Output	400lm@5W
Light Efficiency	80lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	8,5cm
Box Width	8cm
Box Height	8cm
Box Weight	0,165Kg
Pcs/Carton	50
Barcode	5291889054108
HS Code	9405409900

## Energy Label



Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

