

New 2021 Edition 2>Wall & Ceiling LED

## 12116FD/B/BS



16W LED Hidden Light Cylinders Range.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	New 2021 Edition 2
Family	Wall & Ceiling LED
Order Code	12116FD/B/BS
Colour	Black-Brass
Material	Die Cast
Shape	Circular
Height	80mm
Diameter	175mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

16W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

300mA

Voltage

50V

Power(Watts)

15W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Bridgelux

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

13,5-18W

Power Factor

0,9

Constant Current
300mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand

Yes
45-60V
IP20

No
Plastic
KEGU

### Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram
Dark Light

3000K
800lm
50lm/W
80

Yes

### Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

18cm
18cm
8,5cm
0,94Kg
20
5291889068464
9405409900

### Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

