




# **Product Datasheet**

14 Wall & Ceiling LED>Dark Light Ceiling Tubes

## 12906C/B/W



20W SMD LED ceiling light IP20.

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.







Downloads










Dimensions



#### **Physical Specification**


Item Group	14 Wall & Ceiling LED
Family	Dark Light Ceiling Tubes
Order Code	12906C/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	95mm
Width	95mm
Height	84mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	27V
Power(Watts)	18,9W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3535
LED Brand	Cree
LED Number	9
F Mark	F

### Gear

Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes

Power(Watts)	13,3-19,6W
Power Factor	0,9
Constant Current	Yes
700mA	19-28V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	45°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU
Illumination Data	
Colour Temperature	3000K
Lumen Output	1600lm
Lumen Output  Light Efficiency	1600lm 80lm/W
Light Efficiency	80lm/W
Light Efficiency CRI	80lm/W 85
CRI Beam Angle	80lm/W 85
CRI Beam Angle Illumination Diagram	80lm/W 85 25°
Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	80lm/W 85 25°
CRI Beam Angle Illumination Diagram	80lm/W 85 25°
Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	80lm/W 85 25°
CRI Beam Angle Illumination Diagram Dark Light	80lm/W 85 25°  Yes
Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info  Pcs/Carton	80lm/W 85 25° Yes
Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info  Pcs/Carton  Barcode	80lm/W 85 25° Yes  20 5291889066989



#### Certification & Warranty

Warranty 3 Years
Weee Directive Yes



