




New 2025 Edition 3>Downlights Fixed LED

50140FA/V



36W CCT Variable 62x62 recessed frame light LED panel for T-rail false ceiling.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	New 2025 Edition 3
Family	Downlights Fixed LED
Order Code	50140FA/V
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular
Length	620mm
Width	620mm
Height	15mm
Recessed T-Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	36W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Light Source	LED built in
LED Type	SMD

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	950mA
Dimmable	No

Illumination Data

Colour Temperature	3000K-4000K-5500K
Lumen Output	3600lm

Light Efficiency
CRI
Illumination Diagram

100lm/W
90


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

0.825kg
4
5291889083122
9405119090

Certification & Warranty

Warranty
Weee Directive

2 years
Yes

switch to
one light!

