

15 Plafo>The LED Project Plafo Metal

62125D/W/C



25W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

| | |
|-----------------|-----------------------------|
| Item Group | 15 Plafo |
| Family | The LED Project Plafo Metal |
| Order Code | 62125D/W/C |
| Colour | White |
| Material | Metal |
| Shape | Circular |
| Height | 106mm |
| Diameter | 400mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |


| Gear | External-Included |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 25W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| | |
|---------------|---|
| Fitting | |
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 40V |
| Power(Watts) | 28W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 5630 |
| LED Brand | Epistar |
| LED Number | 50 |
| F Mark |  |

| | |
|---------------|------------|
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |

| | |
|------------------|---|
| Power(Watts) | 19-30W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 700mA | 27-42V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Brand | KEGU |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 4000K |
| Lumen Output | 1600lm |
| Light Efficiency | 64lm/W |
| CRI | 80 |
| Beam Angle | 120° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Weight | 2,6Kg |
| Pcs/Carton | 1 |
| Barcode | 5291889046752 |
| HS Code | 9405409900 |

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

