

15 Plafo>The LED Panel Plafo Round

62130F/G/C



30W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions




Physical Specification

Item Group	15 Plafo
Family	The LED Panel Plafo Round
Order Code	62130F/G/C
Colour	Grey
Material	Die Cast
Shape	Circular
Height	39mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear		External-Included
Fitting + Driver		
Input Voltage		220-240V
50 Hz		Yes
60 Hz		Yes
Safety Class		
Power(Watts)		30W
IP Rating		IP40
Light Source		LED built in
Dimmable		No
F Mark		

Fitting		
Input Type		Constant Current
Input Current		1000mA
Voltage		28V
Safety Class		
Power(Watts)		28W
IP Rating		IP40
Light Source		LED built in
LED Type		SMD 2016
LED Brand		Sanan
F Mark		

Gear		
Gear Type		Led Driver
Input Voltage		220-240V
50 Hz		Yes
60 Hz		Yes

Power(Watts)	18-28W
Power Factor	0,9
Constant Current	Yes
1000mA	18-28V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU

Illumination Data

Colour Temperature	4000K
Lumen Output	1997lm
Light Efficiency	65,56lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	32cm
Box Width	31,5cm
Box Height	4,5cm
Box Weight	1,7kg
Pcs/Carton	10
Barcode	5291889034810
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

