



18 Decorative>LED Circle Rings

62156C/B/W



65W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 1600mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

|                   |                  |
|-------------------|------------------|
| Item Group        | 18 Decorative    |
| Family            | LED Circle Rings |
| Order Code        | 62156C/B/W       |
| Colour            | Black            |
| Material          | Aluminium        |
| Shape             | Circular         |
| Height            | 3000mm           |
| Diameter          | 1270mm           |
| Suspended Ceiling | Yes              |
| Indoor            | Yes              |
| Adjustable        | No               |


| Gear             | Built In  |
|------------------|---|
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |    |
| Power(Watts)     | 65W   |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |
| F Mark           |  |

|               |   |
|---------------|---|
| Fitting       |   |
| Input Type    | Constant Current  |
| Input Current | 1600mA  |
| Voltage       | 38V   |
| Power(Watts)  | 60,8W   |
| IP Rating     | IP20  |
| Light Source  | LED built in  |
| LED Type      | SMD 2835  |
| LED Brand     | Bridgelux   |
| F Mark        |  |

|               |            |
|---------------|------------|
| Gear          |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |
| Power(Watts)  | 48-67,2W   |

|                  |   |
|------------------|---|
| Power Factor     | 0,9   |
| Constant Current | Yes   |
| 1600mA           | 30-42V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Housing Material | Plastic   |
| Output Terminal  | Cable   |
| Brand            | BOKE  |

Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 4300lm  |
| Light Efficiency     | 66,15lm/W   |
| CRI                  | 80  |
| Illumination Diagram |  |

Packing Info

|               |               |
|---------------|---------------|
| Box Weight    | 5,7Kg         |
| Pcs/Carton    | 1             |
| Carton Weight | 5,7Kg         |
| Barcode       | 5291889064688 |
| HS Code       | 9405409900    |

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

