

14 Wall & Ceiling LED>Reading Spots Aluminium

65142/W/W



3W COB LED bedside adjustable fitting with aluminium shade ideal for room hotel installation, IP20.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Reading Spots Aluminium
Order Code	65142/W/W
Colour	White
Material	Aluminium
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
------	----------

Fitting + Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	4V
Safety Class	
Power(Watts)	2,8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Philips

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,4-2,8W
Power Factor	0,5
Constant Current	Yes
700mA	2-4v

IP Rating	IP20
Safety Class	
Dimmable	No
Brand	LIFUD


Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	

Packing Info

Pcs/Carton	12
Barcode	5291889064367
HS Code	9405409900

Energy Label



Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

