




# **Product Datasheet**

10 Track Spots>Mirror Square Track Spots

## 65406BT/B/W



15W COB LED track spot with, ideal for shops and showrooms.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



#### Related items







40003A/B

#### Physical Specification

Item Group	10 Track Spots
Family	Mirror Square Track Spots
Order Code	65406BT/B/W
Colour	Black
Material	Die Cast
Shape	Rectangular
Length	80mm


Width	80mm
Height	148mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

#### Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Fitting Input Type	Constant Current
	Constant Current 350mA
Input Type	
Input Type Input Current	350mA
Input Type Input Current Voltage	350mA 40V
Input Type Input Current Voltage Safety Class	350mA 40V 1111>
Input Type Input Current Voltage Safety Class Power(Watts)	350mA 40V <u>√III</u> → 14W
Input Type Input Current Voltage Safety Class Power(Watts) IP Rating	350mA  40V  √III  14W  IP20
Input Type Input Current Voltage Safety Class Power(Watts) IP Rating Light Source	350mA  40V  III  14W  IP20  LED built in

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	9,45-14,7W
Power Factor	0,9
Constant Current	Yes
350mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Illumination Data	
Colour Temperature	3000K
Lumen Output	1200lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Packing Info	
Pos/Carton	24
Pcs/Carton  Parcodo	5201880067856
Barcode	5291889067856
HS Code	9405409900

### Energy Label



#### Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



