

Product Datasheet

www.1-light.eu

10 Track Spots>The COB Cylinder Track Spot

65642BT/B/C



20W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Related items







40003A/B

Physical Specification

Item Group

10 Track Spots

Family

The COB Cylinder Track Spot

Order Code	65642BT/B/C
Colour	Black
Material	Aluminium
Shape	Circular
Height	180mm
Diameter	75mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Licotrical Orial actoristics	
Gear	Built In
Gear	Built In
Gear Fitting + Driver	Built In
	Built In 220-240V
Fitting + Driver	
Fitting + Driver Input Voltage	220-240V


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Safety Class	<u></u>
Power(Watts)	19W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Sanan
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12,5-20W
Power Factor	0,9
Constant Current	Yes
500mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Protection	Short Circuit Protection
llumination Data	
Oalassa Tanana anatsuna	400016
Colour Temperature	4000K
Lumen Output	1700lm
Light Efficiency	85lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Length	24,5cm
Box Width	10cm
Box Height	9cm
Box Weight	0,71kg
Pcs/Carton	18
Barcode	5291889053934
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Average Lifetime	30000hours
Weee Directive	Yes

switch to one light!

