

14 Wall & Ceiling LED>Reading Spots Aluminium

65742/W/W



3W COB LED bedside adjustable fitting with USB charging socket and switch, ideal for room hotel installation, IP20.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Reading Spots Aluminium
Order Code	65742/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	160mm
Width	90mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions


Gear		Built In	
Fitting + Driver			
Input Voltage		100-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		3W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		700mA	
Voltage		4V	
Safety Class			
Power(Watts)		2,8W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Philips	

Gear			
Gear Type		Led Driver	
Input Voltage		100-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		1,4-2,8W	

Power Factor	0,5
Constant Current	Yes
700mA	2-4v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	150lm
Light Efficiency	50lm/W
CRI	85
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Length	11,5cm
Box Width	10,5cm
Box Height	18,5cm
Pcs/Carton	12
Barcode	5291889058540
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

