

15 Plafo>Outdoor Slim LED Plafo Die cast

67363/AN/W



30W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions




Physical Specification

Item Group	15 Plafo
Family	Outdoor Slim LED Plafo Die cast
Order Code	67363/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Circular
Height	49mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		100-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		30W	
IP Rating		IP54	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		700mA	
Voltage		40V	
Power(Watts)		28W	
IP Rating		IP54	
Light Source		LED built in	
LED Type		SMD 3014	
LED Brand		Edison	
LED Number		299	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		100-240V	
50 Hz		Yes	
60 Hz		Yes	

Power(Watts)	20-30W
Power Factor	0,9
Constant Current	Yes
700mA	28-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	2500lm
Light Efficiency	83,33lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

Packing Info

Box Length	25,5cm
Box Width	25,5cm
Box Height	6,5cm
Box Weight	1,05kg
Pcs/Carton	8
Barcode	5291889040378
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

