

14 Wall & Ceiling LED>Down Illumination Wall Lights ABS + PC

## 67386A/AN/W



1,5W LED wall light, IP65, ideal for both indoor and outdoor installation.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Down Illumination Wall Lights ABS + PC
Order Code	67386A/AN/W
Colour	Anthracite
Material	ABS
Diffuser Material	PC
Shape	Rectangular
Length	100mm
Width	37mm
Height	60mm
Surface Wall	Yes
Indoor	Yes

Outdoor

Yes

## Electrical Characteristics

Gear

Built In

### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

1,5W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



### Fitting

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

LED Number

12

### Gear

## Illumination Data

Colour Temperature

3000K

Lumen Output

80lm

Light Efficiency

53,33lm/W

CRI

80

Illumination Diagram



Dark Light

Yes

## Packing Info

Box Length

11cm

Box Width

7cm

Box Height

4cm

Box Weight

0,12Kg

Pcs/Carton

40


Barcode

5291889049081

HS Code

9405104090

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

