

14 Wall & Ceiling LED > Outdoor Dark Lights

67430A/AN/W



8W LED wall light, IP65, ideal for both indoor and outdoor installation.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|-------------------|-----------------------|
| Item Group | 14 Wall & Ceiling LED |
| Family | Outdoor Dark Lights |
| Order Code | 67430A/AN/W |
| Colour | Anthracite |
| Material | ABS |
| Diffuser Material | PC |
| Shape | Rectangular |
| Length | 197mm |
| Width | 197mm |
| Height | 52mm |
| Surface Wall | Yes |
| Indoor | Yes |

Outdoor

Yes

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

8W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

300mA

Voltage

20V

Power(Watts)

6W

IP Rating

IP65

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

LED Number

42

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

| | |
|------------------|---|
| 60 Hz | Yes |
| Power(Watts) | 3,6-6W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| 300mA | 12-20V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Eaglerise |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 350lm |
| Light Efficiency | 43,75lm/W |
| CRI | 80 |
| Illumination Diagram |  |
| Dark Light | Yes |

Packing Info

| | |
|------------|---------------|
| Box Length | 21cm |
| Box Width | 21cm |
| Box Height | 6,5cm |
| Box Weight | 0,64Kg |
| Pcs/Carton | 20 |
| Barcode | 5291889055389 |
| HS Code | 9405104090 |

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

