



Product Datasheet

14 Wall & Ceiling LED>Outdoor Wall Lights

67492/AN/W



12W LED Wall light.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Physical Specification


Item Group	14 Wall & Ceiling LED
Family	Outdoor Wall Lights
Order Code	67492/AN/W
Colour	Anthracite
Material	Plastic
Diffuser Material	PC
Shape	Rectangular
Length	170mm
Width	140mm
Height	170mm
Surface Wall	Yes
Indoor	Yes

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	38V
Power(Watts)	11,6W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 2835
150 D	
LED Brand	Epistar
LED Brand	Epistar
Gear	Epistar
	Epistar Led Driver
Gear	
Gear Gear Type	Led Driver

Power(Watts)	6-12W
Power Factor	0,5
Constant Current	Yes
300mA	20-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise
Illumination Data	
Colour Temperature	3000K
Colour Temperature Lumen Output	3000K 600lm
Lumen Output	600lm
Lumen Output Light Efficiency	600lm 50lm/W
Lumen Output Light Efficiency CRI	600lm 50lm/W
Lumen Output Light Efficiency CRI	600lm 50lm/W
Lumen Output Light Efficiency CRI Illumination Diagram	600lm 50lm/W
Lumen Output Light Efficiency CRI Illumination Diagram	600lm 50lm/W
Lumen Output Light Efficiency CRI Illumination Diagram	600lm 50lm/W 80
Lumen Output Light Efficiency CRI Illumination Diagram Packing Info Box Weight	600lm 50lm/W 80 0,833Kg
Lumen Output Light Efficiency CRI Illumination Diagram Packing Info Box Weight Pcs/Carton	600lm 50lm/W 80 0,833Kg

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



