



## **Product Datasheet**

#### 25 Lamps>G9 LED Dimmable & CCT Variable


### 7103ALGD/W



Triac dimmable SMD LED G9 3,5W 230V AC lamp.

Suitable for residential and commercial applications.

Complies with standard EN62560 and any other specific standards.



#### Downloads





#### Dimensions



#### Gallery




#### **Physical Specification**

Item Group	25 Lamps
Family	G9 LED Dimmable & CCT Variable
Order Code	7103ALGD/W
Shape	Circular
Height	50mm
Diameter	16mm

Electrical Characteristics	
Gear	No
Lamp	
Input Type	Mains Voltage
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,5W
Lamp Type	LED
Lamp Holder	G9
LED Type	SMD
LED Brand	Sanan
Dimmable	Yes
Dimmer type	Triac
Illumination Data	
Colour Temperature	3000K
Colour Temperature  Lumen Output	300lm
Colour Temperature  Lumen Output  Light Efficiency	300lm 85,71lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	300lm
Colour Temperature  Lumen Output  Light Efficiency	300lm 85,71lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	300lm 85,71lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	300lm 85,71lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	300lm 85,71lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	300lm 85,71lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Length	300lm 85,71lm/W 80 2cm
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Length  Box Width	300lm 85,71lm/W 80  2cm
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Length  Box Width  Box Height	300lm 85,71lm/W 80 2cm 2cm 6,2cm
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Box Length  Box Width  Box Height  Box Weight	300lm  85,71lm/W  80  2cm  2cm  6,2cm  0,01Kg

#### Energy Label



**Energy Consumption** 

3,5kWh/1000h

#### Certification & Warranty

Warranty	2 Years
Average Lifetime	15000hrs
Switching Cycles	30000
Weee Directive	Yes

# switch to one light!

