


07 Strips &amp; Profiles&gt;The Ultra Slim Range 24V

7843E/C



Ultra slim COB LED strip, 400LEDs/meter, 10W/meter.

Supplied in 5 meters roll with 3M double face adhesive tape.

Can be cut every 2cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Related items



20030

## Physical Specification

Item Group

07 Strips &amp; Profiles

Family

The Ultra Slim Range 24V

Order Code

7843E/C

Shape

Rectangular

Length

5000mm

Width

5mm

Surface Ceiling

Yes

Surface Wall

Yes

Surface Floor/Ground

Yes

Indoor

Yes

### Electrical Characteristics

#### Fitting

Input Type

Constant Voltage

Input Voltage

24V DC



Safety Class

10W/m

Power(Watts)

IP20

IP Rating

LED built in

Light Source

COB

LED Type



F Mark

### Illumination Data

Colour Temperature

4000K

Lumen Output

900lm/m

Light Efficiency

90lm/W

CRI

90



Illumination Diagram

### Packing Info

Box Weight

0.130kg

Pcs/Carton


50

Barcode

5291889081227

HS Code

9405499090



Energy Class

F

Certification & Warranty

Warranty

3 years

**switch to  
one light!**

one  
LIGHT

