07 Strips & Profiles>The Ultra Slim Range 24V

7843E/EW

Ultra slim COB LED strip, 400LEDs/meter, 10W/meter.

Supplied in 5 meters roll with 3M double face adhesive tape.

Can be cut every 2cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 · 90 CRI · DIMMABLE · CE

Downloads

Dimensions

Cut every 2cm
(8-LED segment)

5mm

Related items

20030

Physical Specification

Item Group	07 Strips & Profiles
Family	The Ultra Slim Range 24V
Order Code	7843E/EW
Shape	Rectangular
Length	5000mm
Width	5mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	III
Power(Watts)	10W/m
IP Rating	IP20
Light Source	LED built in
LED Type	COB
F Mark	F

Illumination Data

Colour Temperature	2700K
Lumen Output	790lm/m
Light Efficiency	79lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	0.130kg
Pcs/Carton	50
Barcode	5291889081258
HS Code	9405499090

ENERG

ONE Light Ltd
7843E/EW

A
B
C
D
E
F
G

F

10
kWh/1000h

Energy Class	F

Warranty	3 years

switch to
one light!

one
LIGHT