


07 Strips & Profiles>The Ultra Slim Range 24V

7843/W



COB LED light strip, 480LEDs/meter, 4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



20030

Physical Specification

Item Group

07 Strips & Profiles

Family

The Ultra Slim Range 24V

Order Code

7843/W

Shape

Rectangular

Length

5000mm

Width

4mm

Surface Ceiling

Yes

Surface Wall

Surface Floor/Ground

Indoor

Yes

Yes

Yes

Electrical Characteristics

Fitting

Input Type

Constant Voltage

Input Voltage

24V DC



Safety Class

4W/m

Power(Watts)

IP20

IP Rating

LED built in

Light Source

COB

LED Type



F Mark

Illumination Data

Colour Temperature

3000K

Lumen Output

410lm/m

Light Efficiency

102,5lm/W

CRI

90



Packing Info

Box Weight

0.124kg

Pcs/Carton


50

Barcode

5291889072645

HS Code

9405499090



Energy Class

E

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

