

Product Datasheet

www.1-light.eu

23 LED Drivers>The 700mA Range

89008A



Constant current LED driver, non-dimmable, for 700mA LED spots / LED fittings, 4-8W.

Complies with standard EN61347-1 and any other specific standards.



Downloads	Dimensions
°O CE	120mm - 40mm <u>2</u> 0mm
Physical Specification	
Item Group	23 LED Drivers
Family	The 700mA Range
Order Code	89008A
Material	Plastic

Shape

Length

Width

Height	20mm
Indoor	Yes

Rectangular

120mm

40mm

Electrical Characteristics



Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4-8W
Power Factor	0,5
Constant Current	Yes
700mA	6-11V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	45°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Fast Connector	Yes
Fast Connector Type	One Light 700
Brand	One Light Ltd
Protection	Short Circuit / Overload / Overheat Protection

Packing Info

Pcs/Carton	100
Barcode	5291889060444
HS Code	8504408290



Warranty	5 Years
Weee Directive	Yes

switch to one light!

Certification & Warranty



