

PRODUCT DESCRIPTION

- Installation in corners
- Lighting angle: 45 degrees
- Small width and height
- Wide range of accessories

1 10 1		
11/1	п.	

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- furniture and decorative lighting.

Mounting


- to the surface, using dedicated accessories or mounting adhesive,
- the cover is cut to the length of the profile,
- easy assembly and disassembly by snapping in and out.


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B8504ANODA_1	Silver anodized	1000 mm
B8504ANODA_2	Silver anodized	2000 mm
B8504ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING








45-16 profile and PDS-STN mounting bracket profil 45-16 z mocownikiem PDS-STN





45-16 profile and PL-PDM mounting bracket profil 45-16 z mocownikiem PL-PDM



45-16 profile and REG-PD-UV mounting bracket profil 45-16 z mocownikiem REG-PD-UV







45-16 profile and REG-PD-UV mounting bracket profil 45-16 z mocownikiem REG-PD-UV

45-16 profile and REG-PD-UV mounting bracket profil 45-16 z mocownikiem REG-PD-UV



RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER black Cover Ref: 17040

CLEAR COVERS



KA clear Cover KA cieai — Ref: 17036 **70°**



HS clear Cover HS ciea. Ref: 1370 **60°**





KA-COM clear Cover Ref: 17122 100°





FROSTED COVERS



KA frosted Cover





KA-PRO frosted Cover Ref: 17064 100°





HS frosted Cover HS frosce Ref: 1369 100°





KA-COM frosted Cover Ref: 17121





LIGER frosted Cover



END CAPS


REGULAR END CAPS



45-16 grey End cap Ref: 24206

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



PL-PDM Mounting bracket Ref: 24041



PDS-STN Mounting bracket Ref: 24190



REG-PD-UV Mounting bracket Ref: 24270



PDS Mounting bracket Ref: 24223



PDS Mounting bracket Ref: 24189



PDS-STN-90D Mounting bracket Ref: 24367



PDS-STN-90G Mounting bracket Ref: 24370



PDS-STN-ALFA Mounting bracket Ref: 24426





ST Head Ref: 42216



ZO Head Ref: 42217



ZZ Head Ref: 42218



FI-8-LIN-MR Fastener silver Ref: 42287



DP-MOC-ZZ Fastener Ref: 00647



DP-MOC Fastener Ref: 00645



DP-MOC-ZO Fastener Ref: 00646

COMPONENTS FOR CONNECTING PROFILES



ZM-X60-G Connector Ref: 42332



ZM-NA-PION-60 Connector Ref: 42317

MOUNTING SETS



M3 Fastener set Ref: 42303



M4 Fastener set Ref: 42301




M5 Fastener set Ref: 42302



W9 Fastener set Ref: 42607



W10 Fastener set Ref: 42608



M14 Fastener set Ref: 42612



RG-1 Fastener set black Ref: 42647L9005



RG-1 Fastener set silver Ref: 42647NI



white Ref: 42647L9010



RG-1 Fastener set RG-1 Fastener set silver satin Ref: 42647GSS




SEALING COMPONENTS



6 x 1.2 Gland Ref: 00802

LED TAPES

WHITE



K-1275-24V

IP65-24V





LED strip WP-K-1220-IP65-12V Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V Ref: WP-K-1220-IP65-24V

CRI 95+



LED strip WP-K-CR-1210-24V Ref: WP-K-CR-1210-24V



LED strip WP-K-CR-1220-24V Ref: WP-K-CR-1220-24V



LED strip WP-K-CR-1275-24V Ref: WP-K-CR-1275-24V



LED strip K-CR-1210-24V Ref: K-CR-1210-24V



LED strip K-CR-1220-24V Ref: K-CR-1220-24V



LED strip K-CR-1275-24V Ref: K-CR-1275-24V



LED strip K-CR-1820-HD-24V Ref: K-CR-1820-HD-24V




LED strip K-CR-1910-HD-24V Ref: K-CR-1910-HD-24V

LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V

RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V





LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V


TUNABLE WHITE / DIM TO WARM



LED strip



LED strip WP-K-27/65-1920-24V K-27/65-1920-24V Ref: Ref: WP-K-27/65-1920-24V K-27/65-1920-24V



LED strip Ref: K-22/50-1728-24V K-30/18-1770-24V



LED strip K-22/50-1728-24V K-30/18-1770-24V Ref:

MARKETING MATERIALS



Display P230-90106M Ref: 90106M



Presentation set 6 Ref: 90125