## PRODUCT DESCRIPTION

- Backlight and attachment for transparent panels with a thickness of 6 mm / 0.24"
- High mechanical resistance

FINISH :

Silver anodized ☐

*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- surface mounting and decorative illumination of transparent signs and panels.

Mounting

- to the surface, using properly selected screws.

Additional information

- with a vertically attached profile, the panel must not protrude more than 51 cm from the wall. Its vertical dimension must not be less than 60% of the horizontal dimension,
- with a horizontally attached profile, the panel must not protrude more than 51 cm from the ceiling.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
18043ANODA_1	Silver anodized	1000 mm
18043ANODA_2	Silver anodized	2000 mm
18043ANODA_3	Silver anodized	3000 mm

KLUŚ ® Inspiring Solutions

TECHNICAL DRAWING

0.2"
5mm

0.32"
8.2mm

1.36"
34.4mm

0.44"
11.2mm

0.25"
6.35 mm

0.85"
21.5mm

RELATED PRODUCTS

END CAPS

STEEL

EX End cap
Ref: 0963

3D FOR MDF PROFILES

EX-3D End cap
Ref: 0962

3D WITH HOLE FOR MDF PROFILES

EX-3D-OTW End
cap
Ref: 1452

ACCESSORIES

SEALING COMPONENTS

6 x 1.2 Gland
Ref: 00802

LED TAPES

KLUŚ Inspiring Solutions

WHITE

LED strip K-1210-12V
Ref: K-1210-12V

LED strip K-1210-24V
Ref: K-1210-24V

LED strip K-1220-12V
Ref: K-1220-12V

LED strip K-1220-24V
Ref: K-1220-24V

LED strip K-1275-12V
Ref: K-1275-12V

LED strip K-1275-24V
Ref: K-1275-24V

LED strip K-1820-HD-24V
Ref: K-1820-HD-24V

LED strip K-1910-HD-24V
Ref: K-1910-HD-24V

LED strip WP-K-1640-HD-IP65-24V
Ref: WP-K-1640-HD-IP65-24V

LED strip WP-K-1210-12V
Ref: WP-K-1210-12V

LED strip WP-K-1210-24V
Ref: WP-K-1210-24V

Taśma LED WP-K-1220-12V
Ref: WP-K-1220-12V

LED strip LED WP-K-1220-24V
Ref: WP-K-1220-24V

LED strip WP-K-1275-12V
Ref: WP-K-1275-12V

LED strip WP-K-1275-24V
Ref: WP-K-1275-24V

Taśma LED WP-K-1910-HD-IP65-24V
Ref: WP-K-1910-HD-IP65-24V

LED strip WP-K-1220-IP65-12V
Ref: WP-K-1220-IP65-12V

LED strip WP-K-1220-IP65-24V
Ref: WP-K-1220-IP65-24V

HIGH EFFICACY

LED strip K-HE-0480-HD-24V
Ref: K-HE-0480-HD-24V

LED strip K-HE-0960-HD-24V
Ref: K-HE-0960-HD-24V

LED strip K-HE-1440-HD-24V
Ref: K-HE-1440-HD-24V

LED strip K-HE-1920-HD-24V
Ref: K-HE-1920-HD-24V

LONG RUN

LED strip K-
LR-1000-24V
Ref: K-
LR-1000-24V

RGB / RGB-W

LED strip K-1275-
RGB-12V
Ref: K-1275-RGB-12V

LED strip K-1275-
RGB-24V
Ref: K-1275-
RGB-24V

LED strip K-1530-
RGB+W-24V
Ref: K-1530-
RGB+W-24V

LED strip
K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-
RGB-24V

LED strip WP-
K-1920-120-RGB-24V
Ref: WP-K-1920-120-
RGB-24V

TUNABLE WHITE / DIM TO WARM

LED strip
K-27/65-1920-24V
Ref:
K-27/65-1920-24V

LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V

LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V

MARKETING MATERIALS

Presentation set 1
Ref: 90051

Foam 70425
Ref: 70425

Display
P230-90177M
Ref: 90177M

More accessories on our page www.klusdesign.eu