

## PRODUCT DESCRIPTION

- Installation of lighting and stretch films to ceilings
- Non visible aluminum elements
- Line of light flush with the surface

#### FINISH:

Non anodized (raw)

\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

## **TECHNICAL SPECIFICATION**

### **Application**

- lighting recessed in surfaces made of stretch film.

#### Mounting

- to the surface, with screws,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

### **Additional information**


- the profile has grooves for the attachment of the hooks from the stretch film.

# **AVAILABLE LENGTHS**

Ref. nr.	surface finish	available lengths
B8333V1NA_1	Non anodized (raw)	1000 mm
B8333V1NA_2	Non anodized (raw)	2000 mm
B8333V1NA_3	Non anodized (raw)	3000 mm



# **TECHNICAL DRAWING**





# **RELATED PROFILES**







FOLED-BOK Profile Ref: B8334V1



## **RELATED PRODUCTS**

## **COVERS**

## **BLACK COVERS**



FOLED black Cover Ref: 17045

#### FROSTED COVERS



FOLED frosted Cover Ref: 17077V1 100°



FOLED frosted Cover Ref: 17047



#### **END CAPS**

#### **REGULAR END CAPS**



FOLED-W black End cap Ref: 24285



FOLED-W white End cap Ref: 24277

## STEEL



FOLED End cap Ref: 42652



#### **ACCESSORIES**

#### COMPONENTS FOR CONNECTING PROFILES



ZM-NA-90 Connector Ref: 42723



ZM-NA-120 Connector Ref: 42729



ZM-NA-135 Connector Ref: 42725



ZM-NA-PION-135 Connector Ref: 42727



ZM-NA-PION-90 Connector Ref: 42726



ZM-T45-G Connector Ref: 42324



ZM-T60-G Connector Ref: 42326



ZM-T90-G Connector Ref: 42328



ZM-X60-G Connector Ref: 42332



ZM-X90-G Connector Ref: 42334



ZM-Y120-G Connector Ref: 42336



ZM-NA-45 Connector Ref: 42339



ZM-NA-PION-120 Connector Ref: 42321



ZM-NA-PION-60 Connector Ref: 42317



ZM-NA-PION-45 Connector Ref: 42315



ZM-NA-180 Connector Ref: 42724

## SEALING COMPONENTS



6 x 1.2 Gland Ref: 00802

## MARKETING MATERIALS









Presentation set 7 Ref: 90126