

# PRODUCT DESCRIPTION


- Mounting to 16 mm / 0.63"' drywall boards
- No collision with the ceiling structure
- Stable mounting to a suspended ceiling
- Non visible aluminum elements

#### FINISH:

Non anodized (raw)



\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

# **TECHNICAL SPECIFICATION**

### **Application**

- main, decorative and functional lighting.

# Mounting

- in drywall, with screws,
- can be easily connected into runs,
- the cover is cut to the length of the profile.


#### Additional information

- smooth transition from a recessed into a suspended lighting fixture possible.

### **AVAILABLE LENGTHS**

Ref. nr.	surface finish	available lengths
C2724NA_1	Non anodized (raw)	1000 mm
C2724NA_2	Non anodized (raw)	2000 mm
C2724NA_3	Non anodized (raw)	3000 mm







# **RELATED PROFILES**



GIZA-LL profile Ref: C0758



# **RELATED PRODUCTS**

# **COVERS**

### **BLACK COVERS**



LIGER-22 black Cover Ref: 17087

### **CLEAR COVERS**



G-L clear Cover Ref: 17006

### FROSTED COVERS



LIGER-22 frosted HS-22 frosted Cover Ref: 17032V1



Cover Ref: 17011



G-K frosted Cover G-L frosted Cover Ref: 17007



Ref: 00413

## SEMI-TRANSPARENT COVERS



MUN-22 semi-Ref: 17042



G-K semitransparent Cover transparent Cover transparent Cover Ref: 00415



G-L semi-Ref: 17008

# **END CAPS**

### **REGULAR END CAPS**





GIZA-LL grey End сар Ref: 24281



сар Ref: 24383



GIZA-LL black End GIZA-LL white End сар Ref: 24398

# **ACCESSORIES**

### **FASTENERS & MOUNTING ACCESSORIES**



OS22-LIN-Z Fastener white Ref: 42341L9010



OS22-PRET-Z Fastener white Ref: 42344L9010



OS22-DUO-LIN-Z Fastener white Ref: 42340L9010



OS22-DUO-PRET-Z Fastener white Ref: 42343L9010



OS22-LIN-Z Fastener black Ref: 42341L9005



OS22-PRET-Z Fastener black Ref: 42344L9005



OS22-DUO-LIN-Z Fastener black Ref: 42340L9005



OS22-DUO-PRET-Z Fastener black Ref: 42343L9005

### COMPONENTS FOR CONNECTING PROFILES



ZM-NA-90 Connector Ref: 42723



ZM-NA-135 Connector Ref: 42725



ZM-NA-PION-135 Connector Ref: 42727



ZM-NA-PION-90 Connector Ref: 42726



ZM-NA-45 Connector Ref: 42339



ZM-NA-PION-120 Connector Ref: 42321



ZM-NA-PION-60 Connector Ref: 42317



ZM-NA-PION-45 Connector Ref: 42315





ZM-NA-60 Connector Ref: 42305



ZM-NA-180 Connector Ref: 42724

#### ADDITIONAL ITEMS



TECH-22 protective insert Ref: 17124



MP-22 white Masking cover Ref: 17167L9010



MP-22 Masking cover black Ref: 17167L9005



MP-22 metallized Masking cover Ref: 17167

### **LED TAPES**

### WHITE



LED strip K-1210-24V Ref: K-1210-24V



LED strip K-1220-12V Ref: K-1220-12V



LED strip K-1220-24V Ref: K-1220-24V



LED strip K-1275-12V Ref: K-1275-12V



LED strip K-1275-24V Ref: K-1275-24V



LED strip K-1820-HD-24V Ref: K-1820-HD-24V



LED strip K-1910-HD-24V Ref: K-1910-HD-24V



LED strip WP-K-1640-HD-IP65-24V Ref: WP-K-1640-HD-IP65-24V



LED strip WP-K-1210-12V Ref: WP-K-1210-12V



LED strip WP-K-1210-24V Ref: WP-K-1210-24V



Taśma LED WP-K-1220-12V



LED strip LED WP-K-1220-24V Ref: WP-K-1220-12V Ref: WP-K-1220-24V





LED strip WP-K-1275-24V Ref: WP-K-1275-24V



Taśma LED WP-K-1910-HD-IP65-24V Ref: WP-K-1910-HD-IP65-24V



LED strip WP-K-1220-IP65-12V Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V Ref: WP-K-1220-IP65-24V

### HIGH EFFICACY




LED strip K-HE-0480-HD-24V Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V Ref: K-HE-0960-HD-24V



LED strip K-HE-1440-HD-24V Ref: K-HE-1440-HD-24V



LED strip K-HE-1920-HD-24V Ref: K-HE-1920-HD-24V

### CRI 95+



LED strip WP-K-CR-1210-24V Ref: WP-K-CR-1210-24V

## LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V

RGB / RGB-W





LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip K-1920-RGB+W-24V 19.2W/m Ref: K-1920-RGB+W-24V



LED strip WP-K-1275-RGB-12V Ref: WP-K-1275-RGB-12V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip WP-K-1530-RGB+W-24V Ref: WP-K-1530-RGB+W-24V



LED strip 19.2W/m Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

### TUNABLE WHITE / DIM TO WARM



LED strip K-22/50-1728-24V



LED strip K-30/18-1770-24V Ref:



LED strip WP-K-22/50-1728-24V Ref: WP-K-22/50-1728-24V K-30/18-1770-24V K-22/50-1728-24V



LED strip WP-K-30/18-1770-24V Ref: WP-K-3018-1770-24V