

PRODUCT DESCRIPTION

- Small bending radius
- Wide range of accessories

FINISH :Silver anodized Black anodized RAL

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION**Application**

- main, decorative and functional lighting.

Mounting

- suspended, to the surface or recessed, using dedicated accessories, properly selected screws or a dedicated mounting track,
- can be easily connected into runs,
- the cover is cut to the length of the profile,
- easy assembly and disassembly by snapping in and out.

Additional information**Profile bending**



Minimum internal radius	Minimum external radius
250 mm	350 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile
- internal radius - refers to the profile bent so that the cover is facing the inside of the arch
- external radius - refers to the profile bent so that the cover is facing the outside of the arch
- irregular curves are possible after consultation and individual quotation
- when bending anodized profiles, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius)


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C0758ANODA_1	Silver anodized	1000 mm
C0758ANODA_2	Silver anodized	2000 mm
C0758ANODA_3	Silver anodized	3000 mm
C0758K7_1	Black anodized	1000 mm
C0758K7_2	Black anodized	2000 mm
C0758K7_3	Black anodized	3000 mm
C0758L90100D_2	White RAL	2000 mm


TECHNICAL DRAWING




GIZA-LL profile and AM-24 mounting bracket
profil GIZA-LL z mocownikiem AM-24




GIZA-LL profile and GIP mounting bracket
profil GIZA-LL z mocownikiem GIP



GIZA-LL profile and REGIP-UV mounting bracket
profil GIZA-LL z mocownikiem REGIP-UV




GIZA-LL profile and REGIP-UV mounting bracket
profil GIZA-LL z mocownikiem REGIP-UV




GIZA-LL profile and REGIP-UV mounting bracket
profil GIZA-LL z mocownikiem REGIP-UV


RELATED PROFILES




TEKNIK-ZM Profile
Ref: C0399




TEKUS Profile
Ref: B6638V1




TEKUS-ZM Profile
Ref: C1293



TEKNIK-ZM-TK
Profile
Ref: C1554



GIZA-LL-T Profile
Ref: C2479




GIZA-LL-UST
Profile
Ref: C2724

RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black
Cover
Ref: 17087

CLEAR COVERS



G-L clear Cover
Ref: 17006



HS-22 clear Cover
Ref: 17022


FROSTED COVERS




LIGER-22 frosted
Cover
Ref: 17032V1



HS-22 frosted
Cover
Ref: 17011



G-K frosted Cover
Ref: 17007




G-L frosted Cover
Ref: 00413


110°




SEMI-TRANSPARENT COVERS



MUN-22 semi-
transparent Cover
Ref: 17042



G-K semi-
transparent Cover
Ref: 00415




G-L semi-
transparent Cover
Ref: 17008

END CAPS

REGULAR END CAPS



GIZA-LL grey End cap
Ref: 24281



GIZA-LL black End cap
Ref: 24383



GIZA-LL white End cap
Ref: 24398

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



NEO-ZM-PLUS-4
Mounting
brackets set
Ref: 42130



REGIP-UV
Mounting bracket
Ref: 24271




NEO-ZM-4
Mounting
brackets set
Ref: 42128



GIP-UV black
Mounting bracket
Ref: 24328



GIP-UV Mounting
bracket
Ref: 24310



AM-24 Mounting
bracket
Ref: 24235




NEO-ZM-PLUS-3
Mounting
brackets set
Ref: 42129



NEO-ZM-3
Mounting
brackets set
Ref: 42127



GIP Mounting
bracket
Ref: 24332



GP Spring
Ref: 00293



BZP Head
Ref: 42213



BZP-ZZ Head
Ref: 42215



BZP-ZO Head
Ref: 42214



FI-8-LIN-ZMZ
Fastener black
Ref: 42286L9005



PUSZ-LIN-MR
Fastener white
Ref: 42278L9010



PUSZ-LIN-ZM
Fastener white
Ref: 42275L9010



PUSZ-PRET-MR
Fastener white
Ref: 42281L9010



PUSZ-PRET-ZM
white Fastener
Ref: 42276L9010



FI-8-LIN-ZMZ
Fastener silver
Ref: 42286



OS22-DUO-LIN-Z
Fastener white
Ref: 42340L9010



FI-8-LIN-ZMZ
Fastener white
Ref: 42286L9010



FI-8-LIN-ZM
Fastener black
Ref: 42285L9005



OS22-LIN-Z
Fastener white
Ref: 42341L9010



OS22-PRET-Z
Fastener white
Ref: 42344L9010



PUSZ-PRET-MR
Fastener black
Ref: 42281L9005



OS22-DUO-PRET-Z
Fastener white
Ref: 42343L9010



OS22-LIN-Z
Fastener black
Ref: 42341L9005



OS22-PRET-Z
Fastener black
Ref: 42344L9005



OS22-DUO-LIN-Z
Fastener black
Ref: 42340L9005



PUSZ-LIN-ZM
Fastener black
Ref: 42275L9005



OS22-DUO-PRET-Z
Fastener black
Ref: 42343L9005



PUSZ-PRET-ZM
Fastener silver
Ref: 42276



FI-10-ZM-W
Fastener
Ref: 42242



PUSZ-LIN-ZM
Fastener
Ref: 42256



FI-8-LIN-ZM
Fastener silver
Ref: 42285



FI-8-LIN-ZM
Fastener white
Ref: 42285L9010



PUSZ-LIN-ZM
Fastener silver
Ref: 42275



PUSZ-PRET-ZM
Fastener
Ref: 42250



FI-10-ZM-P
Fastener
Ref: 42244



PUSZ-LIN-MR
Fastener black
Ref: 42278L9005



PUSZ-PRET-MR
Fastener silver
Ref: 42281



PUSZ-LIN-ZD
Fastener black
Ref: 42279L9005



PUSZ-PRET-ZM
black Fastener
Ref: 42276L9005



DP Fastener
Ref: 00644




DP-ZZ Fastener
Ref: 00651




DP-ZO Fastener
Ref: 00649



UCHO-ZM black
Hanger
Ref: 42525




UCHO-ZM Hanger
Ref: 42512



TEKNIK Latch
Ref: 24003

COMPONENTS FOR CONNECTING PROFILES




ZM-180
Connector
Ref: 42717




ZM-PION-45
Connector
Ref: 42314




ZM-Y120-G
Connector
Ref: 42336




ZM-X90-G
Connector
Ref: 42334




ZM-X60-G
Connector
Ref: 42332




ZM-X45-G
Connector
Ref: 42330




ZM-T90-G
Connector
Ref: 42328




ZM-T60-G
Connector
Ref: 42326




ZM-T45-G
Connector
Ref: 42324




ZM-PION-120
Connector
Ref: 42320




ZM-135-G
Connector
Ref: 42310




ZM-PION-135
Connector
Ref: 42719




ZM-120-G
Connector
Ref: 42308




ZM-90-G
Connector
Ref: 42306



ZM-60-G
Connector
Ref: 42304




ZM-45-G
Connector
Ref: 42338




ZM-120
Connector
Ref: 42728



ZM-90 Connector
Ref: 42716



ZM-PION-90
Connector
Ref: 42718



ZM-135
Connector
Ref: 42720



ZM-MINI-180
Connector
Ref: 44501


MOUNTING SETS



W1 Fastener set
Ref: 42602



W2 Fastener set
Ref: 42603



W6 Fastener set
Ref: 42604




W7 Fastener set
Ref: 42605




M11 Fastener set
Ref: 42609




M12 Fastener set
Ref: 42610



M13 Fastener set
Ref: 42611



ZM-150 Fastener
Ref: 42118



ZM-500 Fastener
Ref: 42119



RD-1 Fastener set
black
Ref: 42658L9005



RG-1 Fastener set
black
Ref: 42647L9005



RG-1 Fastener set
silver
Ref: 42647NI



RD-1 Fastener set silver
Ref: 42658NI



RD-1 Fastener set white
Ref: 42658L9010



RD-1 Fastener set silver satin
Ref: 42658GSS



RD-2 Fastener set silver
Ref: 42653NI



RD-3 Fastener set silver satin
Ref: 42659GSS



RD-4 Fastener set silver
Ref: 42657NI



RG-1 Fastener set white
Ref: 42647L9010



RD-2 Fastener set white
Ref: 42653L9010



RD-2 Fastener set silver satin
Ref: 42653GSS



RD-3 Fastener set black
Ref: 42659L9005



RD-3 Fastener set white
Ref: 42659L9010



RD-4 Fastener set black
Ref: 42657L9005




RG-1 Fastener set silver satin
Ref: 42647GSS

SEALING COMPONENTS




6.4 x 3.0 Gland
Ref: 42264


ADDITIONAL ITEMS



MP-22 white Masking cover
Ref: 17167L9010




MP-22 Masking cover black
Ref: 17167L9005



MP-22 metallized Masking cover
Ref: 17167

LED TAPES

WHITE




LED strip K-1210-24V
Ref: K-1210-24V




LED strip K-1220-12V
Ref: K-1220-12V



LED strip K-1220-24V
Ref: K-1220-24V




LED strip K-1275-12V
Ref: K-1275-12V



LED strip K-1820-HD-24V
Ref: K-1820-HD-24V



LED strip K-1910-HD-24V
Ref: K-1910-HD-24V




LED strip WP-K-1640-HD-IP65-24V
Ref: WP-K-1640-HD-IP65-24V




LED strip WP-K-1210-12V
Ref: WP-K-1210-12V




LED strip WP-K-1210-24V
Ref: WP-K-1210-24V




Taśma LED WP-K-1220-12V
Ref: WP-K-1220-12V




LED strip LED WP-K-1220-24V
Ref: WP-K-1220-24V




LED strip WP-K-1275-24V
Ref: WP-K-1275-24V



Taśma LED WP-K-1910-HD-IP65-24V
Ref: WP-K-1910-HD-IP65-24V




LED strip WP-K-1220-IP65-12V
Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V
Ref: WP-K-1220-IP65-24V

HIGH EFFICACY




LED strip K-HE-0480-HD-24V
Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V
Ref: K-HE-0960-HD-24V



LED strip K-HE-1440-HD-24V
Ref: K-HE-1440-HD-24V




LED strip K-HE-1920-HD-24V
Ref: K-HE-1920-HD-24V

CRI 95+




LED strip WP-K-
CR-1210-24V
Ref: WP-K-
CR-1210-24V

LONG RUN




LED strip K-
LR-1000-24V
Ref: K-
LR-1000-24V


RGB / RGB-W



LED strip K-1275-
RGB-12V
Ref: K-1275-
RGB-12V




LED strip K-1275-
RGB-24V
Ref: K-1275-RGB-24V




LED strip K-1920-
RGB+W-24V
19.2W/m
Ref: K-1920-
RGB+W-24V




LED strip WP-K-1275-
RGB-12V
Ref: WP-K-1275-
RGB-12V




LED strip K-1530-
RGB+W-24V
Ref: K-1530-
RGB+W-24V



LED strip WP-K-1530-
RGB+W-24V
Ref: WP-K-1530-
RGB+W-24V




LED strip
K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-
RGB-24V




LED strip WP-
K-1920-120-RGB-24V
Ref: WP-K-1920-120-
RGB-24V


TUNABLE WHITE / DIM TO WARM




LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V



LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V



LED strip WP-
K-22/50-1728-24V
Ref: WP-
K-22/50-1728-24V



LED strip WP-
K-30/18-1770-24V
Ref: WP-
K-3018-1770-24V


MARKETING MATERIALS



Display
P230-90113M
Ref: 90113M



Foam 70266
Ref: 70266



Display
P230-90215M
Ref: 90215M



Foam 70497
Ref: 70497



Display
P230-90218M
Ref: 90218M