


**PRODUCT DESCRIPTION**

- Small bending radius
- Low height
- Wide range of accessories

**FINISH :**Silver anodized 

\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

**TECHNICAL SPECIFICATION****Application**

- main, decorative and functional lighting.

**Mounting**

- suspended, to the surface or recessed, using dedicated accessories, properly selected screws or a dedicated mounting track,
- can be easily connected into runs,
- semi-round and square covers are cut to the length of the profile,
- easy assembly and disassembly by snapping in and out.

**Additional information**

- three different shapes of covers and corresponding end caps.

**Profile bending with covers: LIGER-22, HS-22.**





Minimum internal radius	Minimum external radius
200 mm	200 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile,
- internal radius - refers to the extrusion bent so that the cover is facing the inside of the arch,
- external radius - refers to the extrusion bent so that the cover is facing the outside of the arch,
- irregular curves are possible after consultation and individual quotation,
- when bending anodized extrusions, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius).


**AVAILABLE LENGTHS**

Ref. nr.	surface finish	available lengths
B5556ANODA_1	Silver anodized	1000 mm
B5556ANODA_2	Silver anodized	2000 mm
B5556ANODA_3	Silver anodized	3000 mm


**TECHNICAL DRAWING**




GIZA profile and AM-24 mounting bracket  
profil GIZA z mocownikiem AM-24




GIZA profile with G-K cover and AM-24 mounting bracket  
profil GIZA z osłoną G-K oraz mocownikiem AM-24




GIZA profile with G-L cover and AM-24 mounting bracket  
profil GIZA z osłoną G-L oraz mocownikiem AM-24




GIZA profile and GIP mounting bracket  
profil GIZA z mocownikiem GIP




GIZA profile with G-K cover and GIP mounting bracket  
profil GIZA z osłoną G-K oraz mocownikiem GIP




GIZA profile with G-L cover and GIP mounting bracket  
profil GIZA z osłoną G-L oraz mocownikiem GIP




GIZA profile and REGIP-UV mounting bracket  
profil GIZA z mocownikiem REGIP-UV




GIZA profile and REGIP-UV mounting bracket  
profil GIZA z mocownikiem REGIP-UV




GIZA profile and REGIP-UV mounting bracket  
profil GIZA z mocownikiem REGIP-UV




GIZA profile with G-L cover and REGIP-UV mounting bracket  
profil GIZA z osłoną G-L oraz mocownikiem REGIP-UV




GIZA profile with G-L cover and REGIP-UV mounting bracket  
profil GIZA z osłoną G-L oraz mocownikiem REGIP-UV




GIZA profile with G-L cover and REGIP-UV mounting bracket  
profil GIZA z osłoną G-L oraz mocownikiem REGIP-UV



GIZA profile with G-K cover and REGIP-UV mounting bracket  
profil GIZA z osłoną G-K oraz mocownikiem REGIP-UV




GIZA profile with G-K cover and REGIP-UV mounting bracket  
profil GIZA z osłoną G-K oraz mocownikiem REGIP-UV




GIZA profile with G-K cover and REGIP-UV mounting bracket  
profil GIZA z osłoną G-K oraz mocownikiem REGIP-UV


**RELATED PROFILES**




TEKNIK-ZM Profile  
Ref: C0399



TEKUS Profile  
Ref: B6638V1



TEKUS-ZM Profile  
Ref: C1293




TEKNIK-ZM-TK  
Profile  
Ref: C1554

## RELATED PRODUCTS

### COVERS

#### BLACK COVERS




LIGER-22 black  
Cover  
Ref: 17087


90°



#### CLEAR COVERS




G-L clear Cover  
Ref: 17006




HS-22 clear Cover  
Ref: 17022

#### FROSTED COVERS




LIGER-22 frosted  
Cover  
Ref: 17032V1

110°




HS-22 frosted Cover  
Ref: 17011

100°




G-K frosted Cover  
Ref: 17007



G-L frosted Cover  
Ref: 00413


#### SEMI-TRANSPARENT COVERS






MUN-22 semi-transparent Cover  
Ref: 17042

100°



G-K semi-transparent Cover  
Ref: 00415

120°



G-L semi-transparent Cover  
Ref: 17008

120°



## END CAPS

### REGULAR END CAPS



GIL metalized End cap  
Ref: 24035



GIZAT metalized End cap  
Ref: 24036



GIZA metalized End cap  
Ref: 24131



GIZA grey End cap  
Ref: 24007



GIL grey End cap  
Ref: 24029



GIZAT grey End cap  
Ref: 24030

## ACCESSORIES

### FASTENERS & MOUNTING ACCESSORIES



NEO-ZM-PLUS-3 Mounting brackets set  
Ref: 42129



NEO-ZM-4 Mounting brackets set  
Ref: 42128




GIP Mounting bracket  
Ref: 24332



REGIP-UV Mounting bracket  
Ref: 24271



NEO-ZM-3  
Mounting  
brackets set  
Ref: 42127



AM-24 Mounting  
bracket  
Ref: 24235




GIP-UV Mounting  
bracket  
Ref: 24310



GIP-UV black  
Mounting bracket  
Ref: 24328



NEO-ZM-PLUS-4  
Mounting  
brackets set  
Ref: 42130



GP Spring  
Ref: 00293



BZP-ZO Head  
Ref: 42214



BZP-ZZ Head  
Ref: 42215



BZP Head  
Ref: 42213



PUSZ-PRET-ZM  
white Fastener  
Ref: 42276L9010



PUSZ-LIN-MR  
Fastener white  
Ref: 42278L9010



PUSZ-LIN-ZM  
Fastener white  
Ref: 42275L9010



FI-8-LIN-ZMZ  
Fastener silver  
Ref: 42286



FI-8-LIN-ZMZ  
Fastener white  
Ref: 42286L9010



OS22-DUO-PRET-Z  
Fastener white  
Ref: 42343L9010



FI-8-LIN-ZM  
Fastener black  
Ref: 42285L9005



OS22-LIN-Z  
Fastener white  
Ref: 42341L9010



OS22-PRET-Z  
Fastener white  
Ref: 42344L9010



OS22-DUO-LIN-Z  
Fastener white  
Ref: 42340L9010



PUSZ-LIN-ZM  
Fastener black  
Ref: 42275L9005




OS22-LIN-Z  
Fastener black  
Ref: 42341L9005



OS22-PRET-Z  
Fastener black  
Ref: 42344L9005



OS22-DUO-LIN-Z  
Fastener black  
Ref: 42340L9005



FI-8-LIN-ZMZ  
Fastener black  
Ref: 42286L9005



OS22-DUO-PRET-Z  
Fastener black  
Ref: 42343L9005



PUSZ-PRET-ZM  
Fastener silver  
Ref: 42276



PUSZ-LIN-ZM  
Fastener silver  
Ref: 42275



PUSZ-PRET-ZM  
black Fastener  
Ref: 42276L9005



PUSZ-LIN-MR  
Fastener black  
Ref: 42278L9005



FI-10-ZM-P  
Fastener  
Ref: 42244



FI-10-ZM-W  
Fastener  
Ref: 42242



PUSZ-PRET-ZM  
Fastener  
Ref: 42250



FI-8-LIN-ZM  
Fastener white  
Ref: 42285L9010



FI-8-LIN-ZM  
Fastener silver  
Ref: 42285



PUSZ-LIN-ZM  
Fastener  
Ref: 42256




DP Fastener  
Ref: 00644




DP-ZZ Fastener  
Ref: 00651



DP-ZO Fastener  
Ref: 00649



UCHO-ZM black  
Hanger  
Ref: 42525




UCHO-ZM Hanger  
Ref: 42512



TEKNIK Latch  
Ref: 24003

#### COMPONENTS FOR CONNECTING PROFILES




ZM-NA-180  
Connector  
Ref: 42724



ZM-NA-135  
Connector  
Ref: 42725




ZM-MINI-180  
Connector  
Ref: 44501



ZM-NA-60  
Connector  
Ref: 42305




ZM-NA-PION-45  
Connector  
Ref: 42315




ZM-NA-PION-60  
Connector  
Ref: 42317




ZM-NA-PION-120  
Connector  
Ref: 42321




ZM-NA-90  
Connector  
Ref: 42723




ZM-NA-45  
Connector  
Ref: 42339



ZM-NA-120  
Connector  
Ref: 42729




ZM-NA-PION-90  
Connector  
Ref: 42726




ZM-NA-PION-135  
Connector  
Ref: 42727



X135 LIPOD  
Coupler  
Ref: \_




X90 LIPOD  
Coupler  
Ref: \_




L90PW LIPOD  
Coupler  
Ref: \_




L135 LIPOD  
Coupler  
Ref: \_




L135PZ LIPOD  
Coupler  
Ref: \_




L135PW LIPOD  
Coupler  
Ref: \_




T135L LIPOD  
Coupler  
Ref: \_



T135R LIPOD  
Coupler  
Ref: \_



T90 LIPOD  
Coupler  
Ref: \_



L90PZ LIPOD  
Coupler  
Ref: \_

#### MOUNTING SETS



W1 Fastener set  
Ref: 42602



W2 Fastener set  
Ref: 42603



W6 Fastener set  
Ref: 42604



W7 Fastener set  
Ref: 42605




M11 Fastener set  
Ref: 42609




M12 Fastener set  
Ref: 42610



M13 Fastener set  
Ref: 42611



ZM-150 Fastener set  
Ref: 42118



ZM-500 Fastener set  
Ref: 42119



RD-1 Fastener set  
black  
Ref: 42658L9005



RG-1 Fastener set  
black  
Ref: 42647L9005



RG-1 Fastener set  
silver  
Ref: 42647NI



RD-1 Fastener set  
silver  
Ref: 42658NI



RD-1 Fastener set  
white  
Ref: 42658L9010



RD-1 Fastener set  
silver satin  
Ref: 42658GSS



RD-2 Fastener set  
silver  
Ref: 42653NI



RD-3 Fastener set  
silver satin  
Ref: 42659GSS



RD-4 Fastener set  
silver  
Ref: 42657NI



RG-1 Fastener set  
white  
Ref: 42647L9010



RD-2 Fastener set  
white  
Ref: 42653L9010



RD-2 Fastener set  
silver satin  
Ref: 42653GSS



RD-3 Fastener set  
black  
Ref: 42659L9005



RD-3 Fastener set  
white  
Ref: 42659L9010



RD-4 Fastener set  
black  
Ref: 42657L9005



RG-1 Fastener set  
silver satin  
Ref: 42647GSS

## SEALING COMPONENTS




6.4 x 3.0 Gland  
Ref: 42264

### ISOLATING BASES




FI-3 Isolating bases  
Ref: 42203



FI-5 Isolating bases  
Ref: 42204




FI-6 Isolating bases  
Ref: 42205




ARMSTRONG Isolating bases  
Ref: 42712


### ADDITIONAL ITEMS



MP-22 white Masking cover  
Ref: 17167L9010




MP-22 Masking cover black  
Ref: 17167L9005



MP-22 metallized Masking cover  
Ref: 17167

### LED TAPES

#### WHITE



LED strip K-1210-24V  
Ref: K-1210-24V




LED strip K-1220-12V  
Ref: K-1220-12V




LED strip K-1220-24V  
Ref: K-1220-24V




LED strip K-1275-12V  
Ref: K-1275-12V



LED strip K-1820-HD-24V  
Ref: K-1820-HD-24V



LED strip K-1910-HD-24V  
Ref: K-1910-HD-24V




LED strip WP-K-1640-HD-IP65-24V  
Ref: WP-K-1640-HD-IP65-24V




LED strip WP-K-1210-12V  
Ref: WP-K-1210-12V




LED strip WP-K-1210-24V  
Ref: WP-K-1210-24V




Taśma LED WP-K-1220-12V  
Ref: WP-K-1220-12V




LED strip LED WP-K-1220-24V  
Ref: WP-K-1220-24V




LED strip WP-K-1275-24V  
Ref: WP-K-1275-24V



Taśma LED WP-K-1910-HD-IP65-24V  
Ref: WP-K-1910-HD-IP65-24V



LED strip WP-K-1220-IP65-12V  
Ref: WP-K-1220-IP65-12V




LED strip WP-K-1220-IP65-24V  
Ref: WP-K-1220-IP65-24V


#### HIGH EFFICACY




LED strip K-HE-0480-HD-24V  
Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V  
Ref: K-HE-0960-HD-24V




LED strip K-HE-1440-HD-24V  
Ref: K-HE-1440-HD-24V



LED strip K-HE-1920-HD-24V  
Ref: K-HE-1920-HD-24V

#### CRI 95+




LED strip WP-K-CR-1210-24V  
Ref: WP-K-CR-1210-24V

#### LONG RUN




LED strip K-LR-1000-24V  
Ref: K-LR-1000-24V


RGB / RGB-W




LED strip K-1275-  
RGB-12V  
Ref: K-1275-  
RGB-12V




LED strip K-1275-  
RGB-24V  
Ref: K-1275-RGB-24V




LED strip K-1920-  
RGB+W-24V  
19.2W/m  
Ref: K-1920-  
RGB+W-24V




LED strip WP-K-1275-  
RGB-12V  
Ref: WP-K-1275-  
RGB-12V




LED strip K-1530-  
RGB+W-24V  
Ref: K-1530-  
RGB+W-24V



LED strip WP-K-1530-  
RGB+W-24V  
Ref: WP-K-1530-  
RGB+W-24V




LED strip  
K-1920-120-RGB-24V  
19.2W/m  
Ref: K-1920-120-  
RGB-24V




LED strip WP-  
K-1920-120-RGB-24V  
Ref: WP-K-1920-120-  
RGB-24V


TUNABLE WHITE / DIM TO WARM




LED strip  
K-22/50-1728-24V  
Ref:  
K-22/50-1728-24V



LED strip  
K-30/18-1770-24V  
Ref:  
K-30/18-1770-24V



LED strip WP-  
K-22/50-1728-24V  
Ref: WP-  
K-22/50-1728-24V




LED strip WP-  
K-30/18-1770-24V  
Ref: WP-  
K-3018-1770-24V

MARKETING MATERIALS



Display  
P230-90120M  
Ref: 90120M



Display  
P230-90097  
Ref: 90097



Presentation set 2  
Ref: 90052



Display  
P230-90276M  
Ref: 90276M