


PRODUCT DESCRIPTION

- Installation in corners
- Lighting angle: 45 degrees
- Smooth profile walls
- Wide range of accessories

FINISH :

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- furniture and decorative lighting.


Mounting

- to the surface, using dedicated accessories, mounting adhesive or double-sided adhesive tape,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B7009ANODA_1	Silver anodized	1000 mm
B7009ANODA_2	Silver anodized	2000 mm
B7009ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING



RELATED PRODUCTS

COVERS

BLACK COVERS




LIGER black Cover

Ref: 17040

90°




CLEAR COVERS



KA clear Cover

Ref: 17036


60°



HS clear Cover

Ref: 1370


50°



KA-COM clear Cover

Ref: 17122

70°



KA-PRO clear Cover

Ref: 17065

50°




FROSTED COVERS



KA frosted Cover

Ref: 17035


90°



KA-PRO frosted Cover

Ref: 17064


100°



HS frosted Cover

Ref: 1369

100°



KA-COM frosted Cover

Ref: 17121

100°





LIGER frosted Cover
Ref: 17037

120°



END CAPS

REGULAR END CAPS



GLAD-45 grey
End-cap
Ref: 24104


REGULAR END CAPS WITH HOLE



GLAD-45-OTW
grey End cap
Ref: 24157


ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



GP Spring
Ref: 00293


COMPONENTS FOR CONNECTING PROFILES




ZM-NA-90
Connector
Ref: 42723




ZM-NA-120
Connector
Ref: 42729




ZM-NA-135
Connector
Ref: 42725



ZM-NA-PION-135
Connector
Ref: 42727




ZM-NA-PION-90
Connector
Ref: 42726



ZM-NA-45
Connector
Ref: 42339




ZM-NA-PION-120
Connector
Ref: 42321




ZM-NA-PION-60
Connector
Ref: 42317



ZM-NA-PION-45
Connector
Ref: 42315



ZM-NA-60
Connector
Ref: 42305



ZM-NA-180
Connector
Ref: 42724

SEALING COMPONENTS



6 x 1.2 Gland
Ref: 00802

ISOLATING BASES



Fi-3 Isolating
bases
Ref: 42203




Fi-5 Isolating
bases
Ref: 42204




Fi-6 Isolating
bases
Ref: 42205

LED TAPES

WHITE




LED strip
K-1210-12V
Ref: K-1210-12V



LED strip
K-1210-24V
Ref: K-1210-24V




LED strip K-1220-24V
Ref: K-1220-24V




LED strip K-1275-12V
Ref: K-1275-12V



LED strip
K-1275-24V
Ref: K-1275-24V



LED strip K-1820-
HD-24V
Ref: K-1820-
HD-24V




LED strip K-1910-
HD-24V
Ref: K-1910-HD-24V




LED strip WP-K-1640-
HD-IP65-24V
Ref: WP-K-1640-HD-
IP65-24V




LED strip WP-
K-1210-12V
Ref: WP-K-1210-12V




LED strip WP-
K-1210-24V
Ref: WP-
K-1210-24V




Taśma LED WP-
K-1220-12V
Ref: WP-K-1220-12V




LED strip LED WP-
K-1220-24V
Ref: WP-K-1220-24V




LED strip WP-
K-1275-12V
Ref: WP-K-1275-12V




LED strip WP-
K-1275-24V
Ref: WP-
K-1275-24V



Taśma LED WP-K-1910-
HD-IP65-24V
Ref: WP-K-1910-HD-
IP65-24V




LED strip WP-K-1220-
IP65-12V
Ref: WP-K-1220-
IP65-12V




LED strip WP-
K-1220-IP65-24V
Ref: WP-K-1220-
IP65-24V


HIGH EFFICACY




LED strip K-
HE-0480-HD-24V
Ref: K-HE-0480-
HD-24V



LED strip K-
HE-0960-HD-24V
Ref: K-HE-0960-
HD-24V



LED strip K-
HE-1440-HD-24V
Ref: K-HE-1440-
HD-24V




LED strip K-
HE-1920-HD-24V
Ref: K-HE-1920-
HD-24V

LONG RUN



LED strip K-
LR-1000-24V
Ref: K-
LR-1000-24V


RGB / RGB-W




LED strip K-1275-
RGB-12V
Ref: K-1275-RGB-12V




LED strip K-1275-
RGB-24V
Ref: K-1275-
RGB-24V



LED strip K-1530-
RGB+W-24V
Ref: K-1530-
RGB+W-24V




LED strip
K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-
RGB-24V




LED strip WP-
K-1920-120-RGB-24V
Ref: WP-K-1920-120-
RGB-24V

TUNABLE WHITE / DIM TO WARM



LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V



LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V

MARKETING MATERIALS



Presentation set 6
Ref: 90125