


PRODUCT DESCRIPTION

- Minimalist form
- Smooth profile surfaces

FINISH :

Silver anodized ☐Black anodized ☐

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- main, decorative and functional lighting.

Mounting

- suspended, using dedicated accessories,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

Additional information

Profile bending


Minimum radius for a bent fixture shining inwards	Minimum radius for a bent fixture shining outwards
400 mm	300 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile,
- internal radius - refers to the extrusion bent so that the cover is facing the inside of the arch,
- external radius - refers to the extrusion bent so that the cover is facing the outside of the arch,
- irregular curves are possible after consultation and individual quotation,
- when bending anodized extrusions, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius).

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2627ANODA_1	Silver anodized	1000 mm
C2627ANODA_2	Silver anodized	2000 mm
C2627ANODA_3	Silver anodized	3000 mm
C2627K7_1	Black anodized	1000 mm
C2627K7_2	Black anodized	2000 mm
C2627K7_3	Black anodized	3000 mm


TECHNICAL DRAWING



RELATED PRODUCTS


COVERS

BLACK COVERS




LIGER-22 black
Cover
Ref: 17087

CLEAR COVERS




HS-22 clear Cover
Ref: 17022

FROSTED COVERS



LIGER-22 frosted
Cover
Ref: 17032V1

SEMI-TRANSPARENT COVERS



MUN-22 semi-
transparent Cover
Ref: 17042

END CAPS


REGULAR END CAPS



GLAZA-LL
metalized End
cap
Ref: 24377



GLAZA-LL grey
end cap
Ref: 24368



GLAZA-LL black
End cap
Ref: 24385

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



BZP-ZO Head
Ref: 42214



BZP-ZZ Head
Ref: 42215



BZP Head
Ref: 42213



OS22-DUO-PRET-Z
Fastener black
Ref: 42343L9005



PUSZ-PRET-MR
Fastener white
Ref: 42281L9010



OS22-DUO-LIN-Z
Fastener black
Ref: 42340L9005



OS22-PRET-Z
Fastener black
Ref: 42344L9005



OS22-LIN-Z
Fastener black
Ref: 42341L9005



OS22-DUO-PRET-Z
Fastener white
Ref: 42343L9010



OS22-DUO-LIN-Z
Fastener white
Ref: 42340L9010



OS22-PRET-Z
Fastener white
Ref: 42344L9010



OS22-LIN-Z
Fastener white
Ref: 42341L9010



FI-8-LIN-MR
Fastener white
Ref: 42287L9010



PUSZ-PRET-MR
Fastener silver
Ref: 42281



PUSZ-LIN-MR
Fastener white
Ref: 42278L9010



PUSZ-PRET-MR
Fastener black
Ref: 42281L9005



FI-8-LIN-MR
Fastener silver
Ref: 42287



PUSZ-LIN-MR
Fastener black
Ref: 42278L9005



PUSZ-LIN-MR
Fastener silver
Ref: 42278



PUSZ-PRET-MR
Fastener
Ref: 42252



PUSZ-LIN-MR
Fastener
Ref: 42258



FI-8-LIN-MR
Fastener black
Ref: 42287L9005



DP-ZZ Fastener
Ref: 00651




DP-ZO Fastener
Ref: 00649



DP Fastener
Ref: 00644

COMPONENTS FOR CONNECTING PROFILES



ZM-180
Connector
Ref: 42717




ZM-PION-135
Connector
Ref: 42719




ZM-135
Connector
Ref: 42720



ZM-PION-90
Connector
Ref: 42718



ZM-90 Connector
Ref: 42716




ZM-120
Connector
Ref: 42728



ZM-45-G
Connector
Ref: 42338




ZM-60-G
Connector
Ref: 42304



ZM-90-G
Connector
Ref: 42306




ZM-120-G
Connector
Ref: 42308



ZM-135-G
Connector
Ref: 42310



ZM-PION-45
Connector
Ref: 42314



ZM-PION-120
Connector
Ref: 42320



ZM-MINI-180
Connector
Ref: 44501

MOUNTING SETS



RG-1 Fastener set
black
Ref: 42647L9005



RG-1 Fastener set
silver
Ref: 42647NI



RG-1 Fastener set
white
Ref: 42647L9010




RG-1 Fastener set
silver satin
Ref: 42647GSS

SEALING COMPONENTS




6 x 1.2 Gland
Ref: 00802


ADDITIONAL ITEMS



MP-22 white
Masking cover
Ref: 17167L9010




MP-22 Masking
cover black
Ref: 17167L9005




MP-22 metallized
Masking cover
Ref: 17167

LED TAPES

WHITE



LED strip K-1210-24V
Ref: K-1210-24V




LED strip
K-1220-12V
Ref: K-1220-12V



LED strip K-1220-24V
Ref: K-1220-24V




LED strip
K-1275-12V
Ref: K-1275-12V




LED strip K-1820-
HD-24V
Ref: K-1820-HD-24V



LED strip K-1910-
HD-24V
Ref: K-1910-HD-24V




LED strip WP-K-1640-
HD-IP65-24V
Ref: WP-K-1640-HD-
IP65-24V




LED strip WP-
K-1210-12V
Ref: WP-
K-1210-12V




LED strip WP-
K-1210-24V
Ref: WP-K-1210-24V




Taśma LED WP-
K-1220-12V
Ref: WP-K-1220-12V




LED strip LED WP-
K-1220-24V
Ref: WP-K-1220-24V




LED strip WP-
K-1275-24V
Ref: WP-
K-1275-24V



Taśma LED WP-K-1910-
HD-IP65-24V
Ref: WP-K-1910-HD-
IP65-24V



LED strip WP-
K-1220-IP65-12V
Ref: WP-K-1220-
IP65-12V



LED strip WP-K-1220-
IP65-24V
Ref: WP-K-1220-
IP65-24V

LONG RUN




LED strip K-
LR-1000-24V
Ref: K-
LR-1000-24V

CRI 95+




LED strip WP-K-
CR-1210-24V
Ref: WP-K-
CR-1210-24V


RGB / RGB-W




LED strip K-1275-
RGB-12V
Ref: K-1275-RGB-12V




LED strip K-1920-
RGB+W-24V
19.2W/m
Ref: K-1920-
RGB+W-24V




LED strip WP-K-1275-
RGB-12V
Ref: WP-K-1275-
RGB-12V




LED strip K-1530-
RGB+W-24V
Ref: K-1530-
RGB+W-24V



LED strip WP-K-1530-
RGB+W-24V
Ref: WP-K-1530-
RGB+W-24V




LED strip
K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-
RGB-24V




LED strip WP-
K-1920-120-RGB-24V
Ref: WP-K-1920-120-
RGB-24V


TUNABLE WHITE / DIM TO WARM




LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V



LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V



LED strip WP-
K-22/50-1728-24V
Ref: WP-
K-22/50-1728-24V



LED strip WP-
K-30/18-1770-24V
Ref: WP-
K-30/18-1770-24V

MARKETING MATERIALS



Display
P230-90215M
Ref: 90215M



Foam 70497
Ref: 70497