PRODUCT DESCRIPTION

- Installation in corners
- Lighting angle: 45 degrees
- Wide range of accessories
- Cable management space

FINISH :

Silver anodized ☐

*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- under-cabinet and functional lighting.

Mounting

- to the surface, using dedicated accessories, mounting adhesive or properly selected screws,
- can be easily connected into runs,
- the cover is cut to the length of the lighting fixture.

Additional information

- three different shapes of covers and corresponding end caps.

AVAILABLE LENGTHS

| Ref. nr.	surface finish	available lengths
B6367ANODA_1	Silver anodized	1000 mm
B6367ANODA_2	Silver anodized	2000 mm
B6367ANODA_3	Silver anodized	3000 mm

KLUŚ® Inspiring Solutions

TECHNICAL DRAWING

# RELATED PRODUCTS

COVERS

### FROSTED COVERS

KOPRO-K frosted
Cover
Ref: 17093

170°

KOPRO-L frosted
Cover
Ref: 17092

120°

KOPRO-P frosted
Cover
Ref: 17091

110°

END CAPS

REGULAR END CAPS

KOPRO-L
metalized End
cap
Ref: 24220

KOPRO-K
metalized End
cap
Ref: 24221

KOPRO-P
metalized End
cap
Ref: 24222

KOPRO-K grey
End cap
Ref: 24115

KOPRO-L grey
End cap
Ref: 24116

KOPRO-P grey
End cap
Ref: 24117

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES

KLUŚ® Inspiring Solutions

GP Spring
Ref: 00293

COMPONENTS FOR CONNECTING PROFILES

ZM-NA-90
Connector
Ref: 42723

ZM-NA-120
Connector
Ref: 42729

ZM-NA-135
Connector
Ref: 42725

ZM-NA-PION-135
Connector
Ref: 42727

ZM-NA-PION-90
Connector
Ref: 42726

ZM-NA-PION-120
Connector
Ref: 42321

ZM-NA-PION-60
Connector
Ref: 42317

ZM-NA-60
Connector
Ref: 42305

ZM-NA-180
Connector
Ref: 42724

SEALING COMPONENTS

6.4 x 3.0 Gland
Ref: 42264

ISOLATING BASES

FI-3 Isolating
bases
Ref: 42203

Fi-5 Isolating
bases
Ref: 42204

Fi-6 Isolating
bases
Ref: 42205

KLUŚ® Inspiring Solutions

LED TAPES

WHITE

LED strip K-1210-12V
Ref: K-1210-12V

LED strip
K-1210-24V
Ref: K-1210-24V

LED strip
K-1220-12V
Ref: K-1220-12V

LED strip
K-1220-24V
Ref: K-1220-24V

LED strip K-1275-12V
Ref: K-1275-12V

LED strip
K-1275-24V
Ref: K-1275-24V

LED strip K-1820-
HD-24V
Ref: K-1820-HD-24V

LED strip K-1910-
HD-24V
Ref: K-1910-
HD-24V

LED strip WP-K-1640-
HD-IP65-24V
Ref: WP-K-1640-HD-
IP65-24V


LED strip WP-
K-1210-12V
Ref: WP-K-1210-12V

LED strip WP-
K-1210-24V
Ref: WP-K-1210-24V


Taśma LED WP-
K-1220-12V
Ref: WP-
K-1220-12V

LED strip LED WP-
K-1220-24V
Ref: WP-K-1220-24V

LED strip WP-
K-1275-12V
Ref: WP-K-1275-12V

LED strip WP-
K-1275-24V
Ref: WP-K-1275-24V

LED strip WP-
K-1820-HD-24V
Ref: WP-K-1820-
HD-24V

Taśma LED WP-K-1910-
HD-IP65-24V
Ref: WP-K-1910-HD-
IP65-24V

LED strip WP-
K-1220-IP65-12V
Ref: WP-K-1220-
IP65-12V

LED strip WP-
K-1220-IP65-24V
Ref: WP-K-1220-
IP65-24V

HIGH EFFICACY

KLUŚ® **Inspiring Solutions**

LED strip K-HE-0480-HD-24V
Ref: K-HE-0480-HD-24V

LED strip K-HE-0960-HD-24V
Ref: K-HE-0960-HD-24V


LED strip K-HE-1440-HD-24V
Ref: K-HE-1440-HD-24V

LED strip K-HE-1920-HD-24V
Ref: K-HE-1920-HD-24V

LONG RUN

LED strip K-LR-1000-24V
Ref: K-LR-1000-24V

RGB / RGB-W

LED strip K-1275-RGB-12V
Ref: K-1275-RGB-12V


LED strip K-1275-RGB-24V
Ref: K-1275-RGB-24V

LED strip K-1920-RGB+W-24V
19.2W/m
Ref: K-1920-RGB+W-24V

LED strip WP-K-1275-RGB-12V
Ref: WP-K-1275-RGB-12V

LED strip WP-K-1275-RGB-24V
Ref: WP-K-1275-RGB-24V

LED strip WP-K-1920-RGB+W-24V
Ref: WP-K-1920-RGB+W-24V


LED strip K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V

LED strip K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-RGB-24V

LED strip WP-K-1920-120-RGB-24V
Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM

LED strip
K-27/65-1920-24V
Ref:
K-27/65-1920-24V

LED strip WP-
K-27/65-1920-24V
Ref: WP-
K-27/65-1920-24V

LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V

LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V

LED strip WP-
K-22/50-1728-24V
Ref: WP-
K-22/50-1728-24V

LED strip WP-
K-30/18-1770-24V
Ref: WP-
K-3018-1770-24V

MARKETING MATERIALS

Display
P230-90079M
Ref: 90079M

Presentation set 4
Ref: 90054