

## PRODUCT DESCRIPTION

- Backlight of transparent panels
- Supported panel thicknesses: 5-6 mm / 0.2-0.24"

## FINISH:

Silver anodized

\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

## **TECHNICAL SPECIFICATION**

### **Application**

- decorative edge illumination for transparent panels.

## Mounting

- to the edge of the panel, using dedicated double-sided adhesive tape.

#### **Additional information**


- the profile has a decorative function, it is not a construction profile.

### **AVAILABLE LENGTHS**

Ref. nr.	surface finish	available lengths
18017ANODAZM_1	Silver anodized	1000 mm
18017ANODAZM_2	Silver anodized	2000 mm
18017ANODAZM_3	Silver anodized	3000 mm

# **TECHNICAL DRAWING**







## **RELATED PRODUCTS**

## **END CAPS**

## REGULAR END CAPS



KRAV-56 grey End cap Ref: 24033

### MARKETING MATERIALS



Presentation set 1 Foam 70425 Ref: 90051



Ref: 70425



Display P230-90177M Ref: 90177M

## **LED TAPES**

### RGB / RGB-W



LED strip K-1560-RGB-24V Ref: K-1560-RGB-24V