


PRODUCT DESCRIPTION

- For building spatial lighting forms
- Ease of creating geometric figures
- Lighting angle: 45 degrees
- Smooth profile surfaces

FINISH :

Silver anodized ☐

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- decorative lighting.


Mounting

- spatial forms made of profile sections, connected with ZM connectors,
- cover cut together with the profile.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B7697ANODA_1	Silver anodized	1000 mm
B7697ANODA_2	Silver anodized	2000 mm
B7697ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING



RELATED PRODUCTS


COVERS

BLACK COVERS




LIGER black Cover
Ref: 17040

CLEAR COVERS




KA clear Cover
Ref: 17036

60°




HS clear Cover
Ref: 1370

50°



KA-COM clear Cover
Ref: 17122

70°




KA-PRO clear
Cover
Ref: 17065

FROSTED COVERS




KA frosted Cover
Ref: 17035

90°




KA-PRO frosted
Cover
Ref: 17064



HS frosted Cover
Ref: 1369


100°



KA-COM frosted Cover
Ref: 17121

100°






LIGER frosted Cover
Ref: 17037




PDS-LUK frosted
Cover
Ref: 17076




ACCESSORIES


COMPONENTS FOR CONNECTING PROFILES




ZM-NA-90
Connector
Ref: 42723




ZM-NA-120
Connector
Ref: 42729




ZM-NA-135
Connector
Ref: 42725



ZM-NA-PION-135
Connector
Ref: 42727




ZM-NA-PION-90
Connector
Ref: 42726




ZM-NA-45
Connector
Ref: 42339




ZM-NA-PION-120
Connector
Ref: 42321




ZM-NA-PION-60
Connector
Ref: 42317



ZM-NA-PION-45
Connector
Ref: 42315




ZM-NA-60
Connector
Ref: 42305




ZM-NA-180
Connector
Ref: 42724

LED TAPES

WHITE




LED strip K-1210-12V
Ref: K-1210-12V




LED strip
K-1210-24V
Ref: K-1210-24V




LED strip
K-1220-12V
Ref: K-1220-12V




LED strip K-1220-24V
Ref: K-1220-24V



LED strip K-1275-12V
Ref: K-1275-12V




LED strip
K-1275-24V
Ref: K-1275-24V



LED strip K-1820-
HD-24V
Ref: K-1820-
HD-24V



LED strip K-1910-
HD-24V
Ref: K-1910-HD-24V



LED strip WP-K-1640-
HD-IP65-24V
Ref: WP-K-1640-HD-
IP65-24V




LED strip WP-
K-1210-12V
Ref: WP-K-1210-12V




LED strip WP-
K-1210-24V
Ref: WP-
K-1210-24V



Taśma LED WP-
K-1220-12V
Ref: WP-K-1220-12V




LED strip LED WP-
K-1220-24V
Ref: WP-K-1220-24V




LED strip WP-
K-1275-12V
Ref: WP-K-1275-12V




LED strip WP-
K-1275-24V
Ref: WP-
K-1275-24V



Taśma LED WP-K-1910-
HD-IP65-24V
Ref: WP-K-1910-HD-
IP65-24V




LED strip WP-K-1220-
IP65-12V
Ref: WP-K-1220-
IP65-12V




LED strip WP-
K-1220-IP65-24V
Ref: WP-K-1220-
IP65-24V

LONG RUN




LED strip K-
LR-1000-24V
Ref: K-
LR-1000-24V


HIGH EFFICACY




LED strip K-HE-0480-HD-24V
Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V
Ref: K-HE-0960-HD-24V




LED strip K-HE-1440-HD-24V
Ref: K-HE-1440-HD-24V




LED strip K-HE-1920-HD-24V
Ref: K-HE-1920-HD-24V


RGB / RGB-W




LED strip K-1275-RGB-12V
Ref: K-1275-RGB-12V




LED strip K-1275-RGB-24V
Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V



LED strip K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V
Ref: WP-K-1920-120-RGB-24V


TUNABLE WHITE / DIM TO WARM




LED strip K-27/65-1920-24V
Ref: K-27/65-1920-24V



LED strip WP-K-27/65-1920-24V
Ref: WP-K-27/65-1920-24V



LED strip K-22/50-1728-24V
Ref: K-22/50-1728-24V



LED strip K-30/18-1770-24V
Ref: K-30/18-1770-24V

MARKETING MATERIALS



Presentation set 6
Ref: 90125