

# PRODUCT DESCRIPTION

- Mounting to drywall boards
- Invisible groove edge

FINISH :

Silver anodized

RAL

\*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

# TECHNICAL SPECIFICATION

## **Application**

- main, decorative and functional lighting.

## Mounting


- recessed, using dedicated accessories,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

# AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B5552ANODA_1	Silver anodized	1000 mm
B5552ANODA_2	Silver anodized	2000 mm
B5552ANODA_3	Silver anodized	3000 mm
B5552L9010OD_2	White RAL	2000 mm

# TECHNICAL DRAWING







# **RELATED PRODUCTS**

## COVERS

#### **BLACK COVERS**





LIGER-22 black Cover Ref: 17087

G-L black Cover Ref: 17012

## CLEAR COVERS



HS-22 clear Cover HS-22 cicc. Ref: 17022 **70°** 



LIGER-22 frosted Cover








G-K frosted Cover G-L frosted Cover Ref: 17007



Ref: 00413

SEMI-TRANSPARENT COVERS







MUN-22 semitransparent Cover Ref: 17042 60°



Ref: 00415





## **REGULAR END CAPS**







LARKO metalized End-cap Ref: 24102

LARKO End cap Ref: 24006

LARKO white End cap . Ref: 24410

# **ACCESSORIES**

## FASTENERS & MOUNTING ACCESSORIES



KMA Spring Ref: 00838V1



OS22-DUO-PRET-Z Fastener white Ref: 42343L9010



OS22-LIN-Z Fastener white Ref: 42341L9010



OS22-LIN-Z Fastener black Ref: 42341L9005



Fastener white Ref: 42344L9010



OS22-PRET-Z Fastener black Ref: 42344L9005



OS22-DUO-LIN-Z Fastener white Ref: 42340L9010



OS22-DUO-LIN-Z Fastener black Ref: 42340L9005





OS22-DUO-PRET-Z Fastener black Ref: 42343L9005

**TEKNIK** Latch Ref: 24003

#### COMPONENTS FOR CONNECTING PROFILES





ZM-NA-135 Connector Ref: 42725



Connector

Ref: 42317

ZM-NA-90

Connector

Ref: 42723

ZM-NA-PION-120 ZM-NA-PION-60 Connector Ref: 42321



ZM-NA-PION-135 Connector



X90 LIPOD Coupler Ref:



L135PW LIPOD Coupler Ref:



L90PW LIPOD Coupler Ref:



T135L LIPOD Coupler Ref:



ZM-NA-60

Connector

Ref: 42305

ZM-NA-45

Connector

Ref: 42339

Ref: \_



L135 LIPOD Coupler Ref:



T135R LIPOD Coupler Ref:




Coupler Ref:

ZM-NA-PION-45 Connector Ref: 42315



ZM-NA-PION-90 Connector Ref: 42726



X135 LIPOD Coupler Ref: \_



Coupler Ref:







L90PZ LIPOD Coupler Ref: \_

#### SEALING COMPONENTS



6.4 x 3.0 Gland Ref: 42264

## ADDITIONAL ITEMS



MP-22 white Masking cover Ref: 17167L9010






MP-22 Masking cover black Ref: 17167L9005


MP-22 metallized Masking cover Ref: 17167

# LED TAPES


#### WHITE







#### HIGH EFFICACY



#### LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V

RGB / RGB-W



	. <b>1 1 1 1 1</b>		<u></u> , 1
LED strip K-1275- RGB-24V Ref: K-1275-RGB-24V	LED strip K-1920- RGB+W-24V 19.2W/m Ref: K-1920- RGB+W-24V	LED strip WP-K-1275- RGB-12V Ref: WP-K-1275- RGB-12V	LED strip WP- K-1275-RGB-24V Ref: WP-K-1275- RGB-24V
		janaan ja maan ja maan	{ <b>≈</b> ∮€\$5 <sup>*</sup> ¥≈∮€\$5 <sup>*</sup> ¥≈ <b>∮</b> €
LED strip WP-K-1920- RGB+W-24V Ref: WP-K-1920- RGB+W-24V	LED strip K-1530- RGB+W-24V Ref: K-1530- RGB+W-24V	LED strip WP-K-1530- RGB+W-24V Ref: WP-K-1530- RGB+W-24V	LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120- RGB-24V

lefel lefel lefel
-------------------

LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

#### TUNABLE WHITE / DIM TO WARM



LED strip K-27/65-1920-24V Ref: K-27/65-1920-24V




LED strip WP-K-22/50-1728-24V Ref: WP-K-22/50-1728-24V



K-27/65-1920-24V Ref: WP-K-27/65-1920-24V



LED strip WP-K-30/18-1770-24V Ref: WP-K-3018-1770-24V



Ref: K-22/50-1728-24V K-30/18-1770-24V

K-22/50-1728-24V K-30/18-1770-24V Ref:







Presentation set 2 Ref: 90052