

PRODUCT DESCRIPTION

The cover has a matt black surface that turns white when the light is turned on, line of light at 120LED/m (9.6W/m) in profiles with minimal deep 19 mm. The cover is made of UV-resistant PC. When the LEDs are off, it is black. The best visual effect is obtained in profiles that are black inside.

- They blend in with dark lighting fixtures and dark surfaces of ceilings or walls
- A surprising light effect when the light is switched on

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application


Decorative lighting.

Mounting

Snap-in in dedicated profiles.

Material	PC
Available length	1000 mm, 2000 mm, 3000 mm
UV resistance	increased

TECHNICAL DRAWING







RELATED PROFILES



GIZA-LL profile Ref: C0758



LOKOM Profile Ref: B5553



KOZEL Profile Ref: B6454



WERKIN Profile Ref: 18025

GIZA-LL-UST

Ref: C2724

Profile



LARKO Profile Ref: B5552



KOZUS Profile Ref: B7823



GIZA-DUO-LL Profile Ref: C2162

GLAZA-DUO

Ref: C3059

Profile



GIZA Profile Ref: B5556



OPAC-30 Profile Ref: B6164



KIDES-DUO Profile STEPUS Profile Ref: 18032 Ref: 18038



GLAZA-LL Profile Ref: C2627







LIPOD Profile

Ref: B5554







RELATED PRODUCTS

MARKETING MATERIALS





Display P230-90154M Ref: 90154M



More accessories on our page www.klusdesign.eu

