PRODUCT DESCRIPTION

■ Wide range of accessories

FINISH :

Silver anodized ☐

Black anodized ■

RAL ■ ☐

*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- main, decorative and functional lighting.

Mounting

- suspended, to the surface or recessed, using dedicated accessories, a dedicated mounting track, properly selected screws or mounting adhesive,
- can be easily connected into runs,
- the cover is cut to the length of the profile,
- easy assembly and disassembly by snapping in and out.

Additional information

Profile bending

span{font-weight:600;}

Minimum internal radius	Minimum external radius
3000 mm	3000 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile,
- internal radius - refers to the extrusion bent so that the cover is facing the inside of the arch,
- external radius - refers to the extrusion bent so that the cover is facing the outside of the arch,
- irregular curves are possible after consultation and individual quotation,
- when bending anodized extrusions, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius).

KLUŚ® **Inspiring Solutions**

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B5554ANODA_1	Silver anodized	1000 mm
B5554ANODA_2	Silver anodized	2000 mm
B5554ANODA_3	Silver anodized	3000 mm
B5554K7_1	Black anodized	1000 mm
B5554K7_2	Black anodized	2000 mm
B5554K7_3	Black anodized	3000 mm
B5554L9010OD_2	White RAL	2000 mm
B5554L9005NS_1	Black RAL	1000 mm
B5554L9005NS_2	Black RAL	2000 mm
B5554L9005NS_3	Black RAL	3000 mm
B5554L9005OD_2	Black RAL	2000 mm

TECHNICAL DRAWING

LIPOD profile and AM-24 mounting bracket
profil LIPOD z mocownikiem AM-24

KLUŚ® Inspiring Solutions

[1.220in]
31mm

[1.143in]
29.03mm

LIPOD profile and GIP mounting bracket
profil LIPOD i mocownikiem GIP

150°

[1.496in]
37.99mm

[2.107in]
53.52mm

LIPOD profile and REGIP-UV mounting bracket
profil LIPOD z mocownikiem REGIP-UV

90°

[1.23in]
31.25mm

[1.87in]
47,50mm

LIPOD profile and REGIP-UV mounting bracket
profil LIPOD z mocownikiem REGIP-UV

[1.23in]
31.25mm

[1.37 4in]
34.89mm

LIPOD profile and REGIP-UV mounting bracket
profil LIPOD z mocownikiem REGIP-UV

KLUŚ® Inspiring Solutions

RELATED PROFILES

TEKNIK-ZM Profile
Ref: C0399

TEKUS Profile
Ref: B6638V1

TEKUS-ZM Profile
Ref: C1293

TEKNIK-ZM-TK
Profile
Ref: C1554

KLUŚ® Inspiring Solutions

RELATED PRODUCTS

COVERS

BLACK COVERS

LIGER-22 black Cover
Ref: 17087

80°

CLEAR COVERS

G-L clear Cover
Ref: 17006

HS-22 clear Cover
Ref: 17022

70°

FROSTED COVERS

LIGER-22 frosted
Cover
Ref: 17032V1

110°

HS-22 frosted Cover
Ref: 17011

100°

G-K frosted Cover
Ref: 17007

G-L frosted Cover
Ref: 00413

SEMI-TRANSPARENT COVERS

KLUŚ® **Inspiring Solutions**

MUN-22 semi-
transparent Cover
Ref: 17042

G-K semi-
transparent Cover
Ref: 00415

G-L semi-
transparent Cover
Ref: 17008

60°

END CAPS

REGULAR END CAPS

LIPOD metalized
End cap
Ref: 24051

LIPOD grey End
cap
Ref: 24004

LIPOD End cap
Ref: 24263

LIPOD End cap
Ref: 24283

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES

GIP-UV black
Mounting bracket
Ref: 24328

NEO-ZM-3
Mounting
brackets set
Ref: 42127

NEO-ZM-PLUS-3
Mounting
brackets set
Ref: 42129

NEO-ZM-4
Mounting
brackets set
Ref: 42128

GIP-UV Mounting
bracket
Ref: 24310

AM-24 Mounting
bracket
Ref: 24235

REGIP-UV
Mounting bracket
Ref: 24271

NEO-ZM-PLUS-4
Mounting
brackets set
Ref: 42130

More accessories on our page www.klusdesign.eu

KLUŚ® **Inspiring Solutions**

GIP Mounting bracket
Ref: 24332

GP Spring
Ref: 00293

BZP Head
Ref: 42213

BZP-ZZ Head
Ref: 42215

BZP-ZO Head
Ref: 42214

PUSZ-LIN-ZM
Fastener white
Ref: 42275L9010

PUSZ-PRET-ZM
white Fastener
Ref: 42276L9010

FI-8-LIN-ZMZ
Fastener white
Ref: 42286L9010

FI-8-LIN-ZM
Fastener black
Ref: 42285L9005

OS22-DUO-PRET-Z
Fastener black
Ref: 42343L9005

OS22-LIN-Z
Fastener white
Ref: 42341L9010

OS22-PRET-Z
Fastener white
Ref: 42344L9010

OS22-DUO-LIN-Z
Fastener white
Ref: 42340L9010

OS22-DUO-PRET-Z
Fastener white
Ref: 42343L9010

FI-8-LIN-ZMZ
Fastener black
Ref: 42286L9005

OS22-LIN-Z
Fastener black
Ref: 42341L9005

OS22-PRET-Z
Fastener black
Ref: 42344L9005

OS22-DUO-LIN-Z
Fastener black
Ref: 42340L9005

FI-8-LIN-ZMZ
Fastener silver
Ref: 42286

FI-10-ZM-P
Fastener
Ref: 42244

PUSZ-LIN-ZM
Fastener black
Ref: 42275L9005

PUSZ-PRET-ZM
Fastener silver
Ref: 42276

PUSZ-LIN-ZM
Fastener silver
Ref: 42275

PUSZ-PRET-ZM
black Fastener
Ref: 42276L9005

KLUŚ® Inspiring Solutions

FI-10-ZM-W
Fastener
Ref: 42242

PUSZ-PRET-ZM
Fastener
Ref: 42250

FI-8-LIN-ZM
Fastener white
Ref: 42285L9010

FI-8-LIN-ZM
Fastener silver
Ref: 42285

PUSZ-LIN-ZM
Fastener
Ref: 42256

DP Fastener
Ref: 00644

DP-ZZ Fastener
Ref: 00651

DP-ZO Fastener
Ref: 00649

UCHO-ZM black
Hanger
Ref: 42525

UCHO-ZM Hanger
Ref: 42512

TEKNIK Latch
Ref: 24003

## COMPONENTS FOR CONNECTING PROFILES

ZM-NA-180
Connector
Ref: 42724

ZM-NA-135
Connector
Ref: 42725

ZM-NA-60
Connector
Ref: 42305

ZM-NA-PION-45
Connector
Ref: 42315

ZM-NA-PION-60
Connector
Ref: 42317

ZM-NA-PION-120
Connector
Ref: 42321

ZM-NA-45
Connector
Ref: 42339

ZM-NA-90
Connector
Ref: 42723

ZM-NA-PION-90
Connector
Ref: 42726

ZM-NA-PION-135
Connector
Ref: 42727

ZM-NA-120
Connector
Ref: 42729

L90 LIPOD
Coupler
Ref: _

KLUŚ® Inspiring Solutions

X135 LIPOD
Coupler
Ref: _

X90 LIPOD
Coupler
Ref: _

L90PW LIPOD
Coupler
Ref: _

L135 LIPOD
Coupler
Ref: _

L135PZ LIPOD
Coupler
Ref: _

L135PW LIPOD
Coupler
Ref: _

T135L LIPOD
Coupler
Ref: _

T135R LIPOD
Coupler
Ref: _

T90 LIPOD
Coupler
Ref: _

L90PZ LIPOD
Coupler
Ref: _

MOUNTING SETS

W1 Fastener set
Ref: 42602

W6 Fastener set
Ref: 42604

W7 Fastener set
Ref: 42605

M11 Fastener set
Ref: 42609

M12 Fastener set
Ref: 42610

M13 Fastener set
Ref: 42611

ZM-150 Fastener
Ref: 42118

ZM-500 Fastener
Ref: 42119

RD-1 Fastener set
black
Ref: 42658L9005

RG-1 Fastener set
black
Ref: 42647L9005

RG-1 Fastener set
silver
Ref: 42647NI

RD-1 Fastener set
silver
Ref: 42658NI

RD-1 Fastener set
white
Ref: 42658L9010

RD-1 Fastener set
silver satin
Ref: 42658GSS

RD-2 Fastener set
silver
Ref: 42653NI

RD-3 Fastener set
silver satin
Ref: 42659GSS

RD-4 Fastener set
silver
Ref: 42657NI

RG-1 Fastener set
white
Ref: 42647L9010

RD-2 Fastener set
white
Ref: 42653L9010

RD-2 Fastener set
silver satin
Ref: 42653GSS

RD-3 Fastener set
black
Ref: 42659L9005

RD-3 Fastener set
white
Ref: 42659L9010

RD-4 Fastener set
black
Ref: 42657L9005

RG-1 Fastener set
silver satin
Ref: 42647GSS

SEALING COMPONENTS

6.4 x 3.0 Gland
Ref: 42264

ISOLATING BASES

FI-3 Isolating
bases
Ref: 42203

Fi-5 Isolating
bases
Ref: 42204

Fi-6 Isolating
bases
Ref: 42205

ADDITIONAL ITEMS

MP-22 white
Masking cover
Ref: 17167L9010

MP-22 Masking
cover black
Ref: 17167L9005

MP-22 metallized
Masking cover
Ref: 17167

**KLUŚ** Inspiring Solutions

LED TAPES

WHITE

LED strip K-1210-12V
Ref: K-1210-12V

LED strip
K-1210-24V
Ref: K-1210-24V

LED strip
K-1220-12V
Ref: K-1220-12V

LED strip
K-1220-24V
Ref: K-1220-24V

LED strip K-1275-12V
Ref: K-1275-12V

LED strip
K-1275-24V
Ref: K-1275-24V

LED strip K-1820-
HD-24V
Ref: K-1820-HD-24V

LED strip K-1910-
HD-24V
Ref: K-1910-
HD-24V

LED strip WP-K-1640-
HD-IP65-24V
Ref: WP-K-1640-HD-
IP65-24V

LED strip WP-
K-1210-12V
Ref: WP-K-1210-12V

LED strip WP-
K-1210-24V
Ref: WP-K-1210-24V

Taśma LED WP-
K-1220-12V
Ref: WP-
K-1220-12V

LED strip LED WP-
K-1220-24V
Ref: WP-K-1220-24V

LED strip WP-
K-1275-12V
Ref: WP-K-1275-12V

LED strip WP-
K-1275-24V
Ref: WP-K-1275-24V

LED strip WP-
K-1820-HD-24V
Ref: WP-K-1820-
HD-24V

Taśma LED WP-K-1910-
HD-IP65-24V
Ref: WP-K-1910-HD-
IP65-24V

LED strip WP-
K-1220-IP65-12V
Ref: WP-K-1220-
IP65-12V

LED strip WP-
K-1220-IP65-24V
Ref: WP-K-1220-
IP65-24V

HIGH EFFICACY

KLUŚ Inspiring Solutions

LED strip K-HE-0480-HD-24V
Ref: K-HE-0480-HD-24V

LED strip K-HE-0960-HD-24V
Ref: K-HE-0960-HD-24V

LED strip K-HE-1440-HD-24V
Ref: K-HE-1440-HD-24V

LED strip K-HE-1920-HD-24V
Ref: K-HE-1920-HD-24V

LONG RUN

LED strip K-LR-1000-24V
Ref: K-LR-1000-24V

RGB / RGB-W

LED strip K-1275-RGB-12V
Ref: K-1275-RGB-12V

LED strip K-1275-RGB-24V
Ref: K-1275-RGB-24V

LED strip WP-K-1275-RGB-12V
Ref: WP-K-1275-RGB-12V

LED strip WP-K-1275-RGB-24V
Ref: WP-K-1275-RGB-24V

LED strip WP-K-1920-RGB+W-24V
Ref: WP-K-1920-RGB+W-24V

LED strip K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V

LED strip WP-K-1530-RGB+W-24V
Ref: WP-K-1530-RGB+W-24V

LED strip K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-RGB-24V

LED strip WP-K-1920-120-RGB-24V
Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM

KLUŚ ® **Inspiring Solutions**

LED strip
K-27/65-1920-24V
Ref:
K-27/65-1920-24V

LED strip WP-
K-27/65-1920-24V
Ref: WP-
K-27/65-1920-24V

LED strip
K-22/50-1728-24V
Ref:
K-22/50-1728-24V

LED strip
K-30/18-1770-24V
Ref:
K-30/18-1770-24V

LED strip WP-
K-22/50-1728-24V
Ref: WP-
K-22/50-1728-24V

LED strip WP-
K-30/18-1770-24V
Ref: WP-
K-3018-1770-24V

MARKETING MATERIALS

Display
P230-90072M
Ref: 90072M

Display
P230-90154M
Ref: 90154M

Display
P230-90176M
Ref: 90176M

Foam 70519
Ref: 70519