

PRODUCT DESCRIPTION

- Easy assemInstallation in corners
- Installation in corners
- Lighting angle: 30 degrees
- Cable management space
- Easy maintenance

FINISH :

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- under-cabinet and functional lighting.

Mounting

- to the surface, using a dedicated mounting track and properly selected screws,
- can be easily connected into runs,
- the cover is cut to the length of the lighting fixture.

Additional information


- mounting strip can be used in sections.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
18015ANODA_1	Silver anodized	1000 mm
18015ANODA_2	Silver anodized	2000 mm
18015ANODA_3	Silver anodized	3000 mm



TECHNICAL DRAWING





RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black Cover Ref: 17087

CLEAR COVERS





G-L clear Cover Ref: 17006

HS-22 clear Cover Ref: 17022

FROSTED COVERS



Cover Ref: 17032V1 110°






G-K frosted Cover Ref: 17007 Ref: 00413



SEMI-TRANSPARENT COVERS



MUN-22 semitransparent Cover Ref: 17042 100°



Ref: 00415

G-L semitransparent Cover Ref: 17008 transparent Cover



END CAPS

REGULAR END CAPS





LOC-30-P grey End cap Ref: 24022

LOC-30-L grey End cap Ref: 24023

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



TEKNIK Latch Ref: 24003

COMPONENTS FOR CONNECTING PROFILES



ZM-MINI-180 Connector Ref: 44501

SEALING COMPONENTS




6.4 x 3.0 Gland Ref: 42264

ADDITIONAL ITEMS





MP-22 white Masking cover Ref: 17167L9010 MP-22 Masking cover black Ref: 17167L9005




MP-22 metalliz Masking cover Ref: 17167

LED TAPES

WHITE

ুঁও কলা। গে হুঁও কলা। লে হুঁও কল	ୁକ୍ତି ଓ ∎ ଓ &ୁ ଓ ≸ ଓ ∎ D ⁴⁰ (1)	(nemi))))nin()nemi)))nin())	(n mart a nach an saide an saide an s
	LED strip K-1210-24V Ref: K-1210-24V		K-1220-24V
þan þari þan dari í þan d	[aanstaanin]aans faanin]aanst	ļīņa ģiņa ģiņ	finan Finan Fina
	LED strip K-1275-24V Ref: K-1275-24V		HD-24V

HIGH EFFICACY



LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V



RGB / RGB-W

		รู้และสองการรู้และสองการกรู้และสอง	\
LED strip K-1275-	LED strip K-1275-	RGB+W-24V	LED strip
RGB-12V	RGB-24V		K-1920-120-RGB-
Ref: K-1275-	Ref: K-1275-		19.2W/m
RGB-12V	RGB-24V		Ref: K-1920-120-

MARKETING MATERIALS





Display P230-90079M Ref: 90079M

Presentation set 1 Ref: 90051



B-24V RGB-24V