

PRODUCT DESCRIPTION

- Invisible groove edge
- Wide range of accessories
- Minimum height
- Small bending radius

FINISH:	
Silver anodized	
Black anodized	
RAL	
*Custom colors available upon	request
	Fill empty fields
Product nr.	
Fixture type	
Company	
Job name	



TECHNICAL SPECIFICATION

Application

Date

- furniture and decorative lighting.

Mounting

- recessed, with mounting adhesive or double-sided adhesive tape.

Additional information

- the extrusion will fit in 12 mm thick drywall.
- dimensions of the groove for recessing the profile: 18 mm x 7 mm (depth)
- space for LED strip: 11.2 mm


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C1587ANODA_1	Silver anodized	1000 mm
C1587ANODA_2	Silver anodized	2000 mm
C1587ANODA_2	Silver anodized	3000 mm



Ref. nr.	surface finish	available lengths
C1587K7_1	Black anodized	1000 mm
C1587K7_2	Black anodized	2000 mm
C1587K7_3	Black anodized	3000 mm
C1587L9010OD_2	White RAL	2000 mm

TECHNICAL DRAWING





RELATED PRODUCTS

COVERS

BLACK COVERS



Ref: 17040 **90**°



CLEAR COVERS



KA clear Cover



HS clear Cover Ref: 1370 **110**°





KA-COM clear Cover Ref: 17122 100°





KA-PRO clear Cover Ref: 17065 100°



FROSTED COVERS



KA frosted Cover Ref: 17035 110°





KA-PRO frosted Cover Ref: 17064 100°





HS frosco Ref: 1369 110° **HS frosted Cover**





KA-COM frosted Cover Ref: 17121 110°







LIGER frosted Cover Ref: 17037



END CAPS

REGULAR END CAPS



End cap MICRO-NK metalized Ref: 24450



End cap MICRO-LNK metalized Ref: 24445



MICRO-NK grey End cap Ref: 24346



End cap MICRO-LNK grey Ref: 24427



MICRO-NK black End cap Ref: 24362



End cap MICRO-LNK black Ref: 24431



MICRO-NK white End cap Ref: 24408



End cap MICRO-LNK white Ref: 24442

REGULAR END CAPS WITH HOLE



End cap MICRO-LNK-OTW black Ref: 24433



MICRO-NK-OTW grey End cap Ref: 24347



End cap MICRO-LNK-OTW grey Ref: 24429



MICRO-NK-OTW black End cap Ref: 24363



End cap MICRO-NK-OTW metalized Ref: 24451



MICRO-NK-OTW white End cap Ref: 24409



End cap MICRO-LNK-OTW white Ref: 24443



End cap MICRO-LNK-OTW metalized Ref: 24446



ACCESSORIES


SEALING COMPONENTS



6 x 1.2 Gland Ref: 00802

LED TAPES

WHITE



K-1275-24V

IP65-24V





LED strip WP-K-1220-IP65-12V Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V Ref: WP-K-1220-IP65-24V

HIGH EFFICACY



LED strip K-HE-0480-HD-24V Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V Ref: K-HE-0960-HD-24V



LED strip K-HE-1440-HD-24V Ref: K-HE-1440-HD-24V



LED strip K-HE-1920-HD-24V Ref: K-HE-1920-HD-24V

LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V

CRI 95+



LED strip WP-K-CR-1210-24V Ref: WP-K-CR-1210-24V



LED strip K-CR-1220-24V Ref: K-CR-1220-24V



LED strip WP-K-CR-1220-24V Ref: WP-K-CR-1220-24V



LED strip K-CR-1275-24V Ref: K-CR-1275-24V



LED strip WP-K-CR-1275-24V Ref: WP-K-CR-1275-24V



LED strip K-CR-1820-HD-24V Ref: K-CR-1820-HD-24V




LED strip K-CR-1210-24V Ref: K-CR-1210-24V




LED strip K-CR-1910-HD-24V Ref: K-CR-1910-HD-24V



RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM





LED strip WP-K-27/65-1920-24V K-27/65-1920-24V Ref: WP-K-27/65-1920-24V K-27/65-1920-24V



LED strip K-22/50-1728-24V K-22/50-1728-24V



LED strip K-30/18-1770-24V K-30/18-1770-24V

MARKETING MATERIALS



Display P230-90180M Ref: 90180M