

# **PRODUCT DESCRIPTION**

- Hallway lighting
- Three lighting options

FINISH :

Silver anodized

\*Custom colors available upon request

Fill empty fields



Fixture type

Company

Job name

Date

# **TECHNICAL SPECIFICATION**

#### **Application**

- decorative and warning lighting.

#### Mounting

- recessed, using dedicated accessories or mounting adhesive,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

### **Additional information**

- the light reflection chamber may be open or covered with a frosted lens
- space for LED strip: 13.2 mm


## AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
W4826ANODA_1	Silver anodized	1000 mm
W4826ANODA_2	Silver anodized	2000 mm
W4826ANODA_3	Silver anodized	3000 mm





# TECHNICAL DRAWING





# **RELATED PRODUCTS**

### COVERS

#### **CLEAR COVERS**







KA clear Cover Ref: 17036

DHS clear Cover Ref: 17063


HS clear Cover Ref: 1370

KA-COM clear Cover Ref: 17122



KA-PRO clear Cover Ref: 17065

#### FROSTED COVERS



Ref: 17121

Cover Ref: 17037

## END CAPS

**REGULAR END CAPS** 





OBIT metalized End cap Ref: 24136

OBIT grey End cap Ref: 24127

# ACCESSORIES

### FASTENERS & MOUNTING ACCESSORIES



KMA Spring Ref: 00838V1

### COMPONENTS FOR CONNECTING PROFILES







ZM-PION-45 Connector Ref: 42314

ZM-PION-120 Connector Ref: 42320

ZM-NA-180 Connector Ref: 42724

### SEALING COMPONENTS




6 x 1.2 Gland Ref: 00802

LED TAPES

WHITE






#### LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V



### HIGH EFFICACY



\_\_\_\_\_\_

LED strip K-1275-

RGB-24V Ref: K-1275-

RGB-24V

LED strip K-1530-

RGB+W-24V

Ref: K-1530-

RGB+W-24V

RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V




LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

### TUNABLE WHITE / DIM TO WARM



LED strip K-27/65-1920-24V Ref:

LED strip WP-K-27/65-1920-24V Ref: WP-K-27/65-1920-24V K-27/65-1920-24V



LED strip LED strip K-22/50-1728-24V K-30/18-1770-24V Ref: Ref: K-22/50-1728-24V K-30/18-1770-24V

### MARKETING MATERIALS




P230-90078M

Ref: 90078M



Presentation set 5 Ref: 90124



LED strip K-1920-120-RGB-24V 19.2W/m . Ref: K-1920-120-RGB-24V

More accessories on our page www.klusdesign.eu