

PRODUCT DESCRIPTION

- Mounting to drywall boards
- Invisible groove edge
- Low height

FINISH:

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- main and functional lighting.

Mounting

- recessed, using dedicated accessories or mounting adhesive.

Additional information


- possibility of making a linear fixture with IP65 protection, which means the fixture is dustproof and waterproof in contact with water jets
- achieving IP65 is possible with the following covers: LIGER-22, MUN-22 and HS-22
- wide flange not requiring a precise groove
- space for LED strip: 21.8 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B6164ANODA_1	Silver anodized	1000 mm
B6164ANODA_2	Silver anodized	2000 mm
B6164ANODA_3	Silver anodized	3000 mm



TECHNICAL DRAWING





RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black Cover Ref: 17087

CLEAR COVERS



G-L clear Cover Ref: 17006



HS-22 clear Cover Ref: 17022

FROSTED COVERS



LIGER-22 frosted Cover Ref: 17032V1 110°



HS-22 no. Ref: 17011 **110°** HS-22 frosted Cover





SEMI-TRANSPARENT COVERS



MUN-22 semitransparent Cover Ref: 17042 100°



G-K semitransparent Cover Ref: 00415



G-L semitransparent Cover Ref: 17008





END CAPS

REGULAR END CAPS



OPAC-30 metalized End cap Ref: 24052



OPAC-30 grey End cap Ref: 24045

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



KMA Spring Ref: 00838V1

COMPONENTS FOR CONNECTING PROFILES



ZM-180 Connector Ref: 42717



ZM-PION-45 Connector Ref: 42314



ZM-Y120-G Connector Ref: 42336



ZM-X90-G Connector Ref: 42334



ZM-X60-G Connector Ref: 42332



ZM-X45-G Connector Ref: 42330



ZM-T90-G Connector Ref: 42328



ZM-T60-G Connector Ref: 42326



ZM-T45-G Connector Ref: 42324



ZM-PION-120 Connector Ref: 42320



ZM-135-G Connector Ref: 42310



ZM-PION-135 Connector Ref: 42719





ZM-120-G Connector Ref: 42308



ZM-90-G Connector Ref: 42306



ZM-60-G Connector Ref: 42304



ZM-45-G Connector Ref: 42338



ZM-120 Connector Ref: 42728



ZM-90 Connector Ref: 42716



ZM-PION-90 Connector Ref: 42718



ZM-135 Connector Ref: 42720



ZM-MINI-180 Connector Ref: 44501

SEALING COMPONENTS



6.4 x 3.0 Gland Ref: 42264

ADDITIONAL ITEMS



MP-22 white Masking cover Ref: 17167L9010



MP-22 Masking cover black Ref: 17167L9005




MP-22 metallized Masking cover Ref: 17167

LED TAPES

WHITE







LED strip LED WP-K-1220-24V Ref: WP-K-1220-24V



LED strip WP-K-1275-12V Ref: WP-K-1275-12V



LED strip WP-K-1275-24V Ref: WP-K-1275-24V



LED strip WP-K-1820-HD-24V Ref: WP-K-1820-HD-24V

្រាមស្ត្រាមប្រែក្រាស់ ប្រែក្រាស់

LED strip

K-1220-24V

Ref: K-1220-24V

<u>[iing.maging.maging</u>

LED strip K-1910-

Taśma LED WP-

K-1220-12V

K-1220-12V

Ref: WP-

HD-24V

Ref: K-1910-HD-24V



Taśma LED WP-K-1910-HD-IP65-24V Ref: WP-K-1910-HD-IP65-24V



LED strip WP-K-1220-IP65-12V Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V Ref: WP-K-1220-IP65-24V

HIGH EFFICACY



LED strip K-HE-0480-HD-24V Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V Ref: K-HE-0960-HD-24V



LED strip K-HE-1440-HD-24V Ref: K-HE-1440-HD-24V



LED strip K-HE-1920-HD-24V Ref: K-HE-1920-HD-24V




LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V


RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip WP-K-1275-RGB-24V Ref: WP-K-1275-RGB-24V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip K-1920-RGB+W-24V 19.2W/m Ref: K-1920-RGB+W-24V



LED strip WP-K-1530-RGB+W-24V Ref: WP-K-1530-RGB+W-24V



LED strip WP-K-1275-RGB-12V Ref: WP-K-1275-RGB-12V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM



LED strip K-27/65-1920-24V Ref: K-27/65-1920-24V



LED strip WP-K-27/65-1920-24V Ref: WP-K-27/65-1920-24V



LED strip K-22/50-1728-24V Ref: K-22/50-1728-24V



LED strip K-30/18-1770-24V Ref: K-30/18-1770-24V





LED strip WP-K-22/50-1728-24V Ref: WP-K-22/50-1728-24V



LED strip WP-K-30/18-1770-24V Ref: WP-K-3018-1770-24V