

PRODUCT DESCRIPTION

- Installation in corners
- Corner masking
- Lighting angle: 45 degrees

F	I١	Ш	\leq	⊢	ı	
	ш	ИI	\mathcal{L}	1	ı	

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for construction of lighting in showcases, shop windows and displays
- in grooves and internal 90° corners

Mounting

- with mounting adhesive or appropriately selected screws

Additional information

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- space for LED strip: 13.1 mm

Line of light

✓ = Line of Light

X = Visible dotting

Profile:	LED Model:	HS/HS-12/ HS-22 frosted	KA frosted
PAC-ALU			




1210	Х	X
1220	Х	Х
1275	Х	Х
0530	X	Х
1910	X	Х
1820	Х	Х

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B4370ANODA_1	Silver anodized	1000 mm
B4370ANODA_2	Silver anodized	2000 mm
B4370ANODA_3	Silver anodized	3000 mm

TECHNICAL DRAWING






RELATED PRODUCTS

COVERS

CLEAR COVERS



FROSTED COVERS



END CAPS

REGULAR END CAPS



PAC-ALU grey End cap Ref: 00084



ACCESSORIES

COMPONENTS FOR CONNECTING PROFILES



ZM-NA-180 Connector Ref: 42724

SEALING COMPONENTS




6 x 1.2 Gland Ref: 00802

LED TAPES

WHITE

IP65-24V



K-1210-12V

Ref: WP-K-1210-24V

Ref: WP-K-1220-12V





LED strip LED WP-K-1220-24V Ref: WP-K-1220-24V



LED strip WP-K-1275-24V Ref: WP-K-1275-24V



Taśma LED WP-K-1910-HD-IP65-24V Ref: WP-K-1910-HD-IP65-24V



LED strip WP-K-1220-IP65-12V Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V Ref: WP-K-1220-IP65-24V

LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V

HIGH EFFICACY




LED strip K-HE-0480-HD-24V Ref: K-HE-0480-HD-24V



LED strip K-HE-0960-HD-24V Ref: K-HE-0960-HD-24V



LED strip K-HE-1440-HD-24V Ref: K-HE-1440-HD-24V




LED strip K-HE-1920-HD-24V Ref: K-HE-1920-HD-24V

RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V





LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM



LED strip






LED strip WP-K-27/65-1920-24V K-27/65-1920-24V Ref: Ref: WP-K-27/65-1920-24V K-27/65-1920-24V



LED strip Ref:



LED strip K-22/50-1728-24V K-30/18-1770-24V Ref: K-22/50-1728-24V K-30/18-1770-24V

MARKETING MATERIALS



Presentation set 1 Ref: 90051