


## PRODUCT DESCRIPTION

- Mounting to 12 mm / 0.47" drywall boards
- No collision with the ceiling structure
- Stable mounting to a suspended ceiling
- Non visible aluminum elements

### FINISH :

Non anodized (raw) 

\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

## TECHNICAL SPECIFICATION

### Application

- main and decorative lighting.

### Mounting

- in drywall, with screws,
- can be easily connected into runs,
- the cover is cut to the length of the profile.


### Additional information

- the line of light can be obtained with a cover and a LED tape with at least 120 LEDs per meter,
- PDS-T profile is intended for one 14 mm wide LED tape,
- the cover is cut to the length of the profile,
- can be connected into strings using ZM connectors,
- transition from a built-in lighting fixture into a suspended one made with the PDS-ZM-PLUS profile,
- TECH-KA protective insert can be used to protect the inside of the profile from contamination during assembly.

## AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2057_1	Non anodized (raw)	1000 mm
C2057_2	Non anodized (raw)	2000 mm

Ref. nr.	surface finish	available lengths
C2057_3	Non anodized (raw)	3000 mm

**TECHNICAL DRAWING**

**RELATED PROFILES**




PDS-ZM-PLUS  
Profile  
Ref: C2056

## RELATED PRODUCTS

### COVERS

#### BLACK COVERS




LIGER black Cover  
Ref: 17040


#### CLEAR COVERS




KA clear Cover  
Ref: 17036



HS clear Cover  
Ref: 1370



KA-COM clear  
Cover  
Ref: 17122



KA-PRO clear  
Cover  
Ref: 17065


#### FROSTED COVERS




KA frosted Cover  
Ref: 17035



KA-PRO frosted  
Cover  
Ref: 17064



HS frosted Cover  
Ref: 1369



KA-COM frosted  
Cover  
Ref: 17121



LIGER frosted  
Cover  
Ref: 17037

### END CAPS

#### REGULAR END CAPS




PDS-ZM-PLUS  
grey End cap  
Ref: 24364




PDS-ZM-PLUS  
white End cap  
Ref: 24397

## ACCESSORIES


### COMPONENTS FOR CONNECTING PROFILES




ZM-NA-90  
Connector  
Ref: 42723



ZM-NA-135  
Connector  
Ref: 42725




ZM-NA-PION-135  
Connector  
Ref: 42727




ZM-NA-PION-90  
Connector  
Ref: 42726




ZM-NA-45  
Connector  
Ref: 42339



ZM-NA-PION-120  
Connector  
Ref: 42321



ZM-NA-PION-60  
Connector  
Ref: 42317



ZM-NA-PION-45  
Connector  
Ref: 42315




ZM-NA-180  
Connector  
Ref: 42724

### SEALING COMPONENTS




6 x 1.2 Gland  
Ref: 00802



TECH-KA  
protective insert  
Ref: 17123


## LED TAPES




LED strip 8K-WP-  
K-1210-12V  
Ref: 8K-WP-  
K-1210-12V




LED strip 8K-WP-  
K-1210-24V  
Ref: 8K-WP-  
K-1210-24V



LED strip 8K-WP-  
K-1220-12V  
Ref: 8K-WP-  
K-1220-12V



LED strip 8K-WP-  
K-1220-24V  
Ref: 8K-WP-  
K-1220-24V



LED strip 8K-WP-  
K-1275-12V  
Ref: 8K-WP-  
K-1275-12V



LED strip 8K-WP-  
K-1275-24V  
Ref: 8K-WP-  
K-1275-24V

## MARKETING MATERIALS



Display  
P230-90218M  
Ref: 90218M