

PRODUCT DESCRIPTION

Illumination of niches and coves with a low height

Fill empty fields

- Continuous Adjustable lighting angle
- Two lighting options

FINISH :

- Silver anodized
- *Custom colors available upon request



Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- decorative lighting recessed in architectural niches.

Mounting

- to the surface, using dedicated accessories,
- easy assembly and disassembly by snapping in and out .

Additional information

- the lighting fixture can be inserted into the mounting brackets so that the light is directed up or down and furthermore the light angle can be adjusted


- space for LED strip: 11.2 mm


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B7176ANODA_1	Silver anodized	1000 mm
B7176ANODA_2	Silver anodized	2000 mm
B7176ANODA_3	Silver anodized	3000 mm




TECHNICAL DRAWING





POLI profile and POLI mounting bracket profil POLI z mocownikiem POLI



POLI profile and POLI mounting bracket profil POLI z mocownikiem POLI



RELATED PRODUCTS


COVERS

BLACK COVERS





CLEAR COVERS







END CAPS

REGULAR END CAPS



POLI grey End cap Ref: 24128

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



POLI Mounting bracket Ref: 24112


SEALING COMPONENTS



6 x 1.2 Gland Ref: 00802



WHITE



HIGH EFFICACY



<u>. Mentala a</u>	<u>. Mententen m</u>	<u>()interneter</u> ,	(Qèntrentes m.
LED strip K-	LED strip K-	LED strip K-	LED strip K-
HE-0480-HD-24V	HE-0960-HD-24V	HE-1440-HD-24V	HE-1920-HD-24V
Ref: K-HE-0480-	Ref: K-HE-0960-	Ref: K-HE-1440-	Ref: K-HE-1920-
HD-24V	HD-24V	HD-24V	HD-24V

LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V

CRI 95+

ja ata⊗ajata∰a a	(a mata maja masalani) a mat	furnessanisformes (name	² 63 8 1 8 42 8 ≸ 8 1 0 ⁴⁰ / ₄₀ 9
LED strip WP-K-	LED strip WP-K-	LED strip WP-K-	LED strip K-
CR-1210-24V	CR-1220-24V	CR-1275-24V	CR-1210-24V
Ref: WP-K-	Ref: WP-K-	Ref: WP-K-	Ref: K-
CR-1210-24V	CR-1220-24V	CR-1275-24V	CR-1210-24V
(a mai ja ninga maska) ninga mai j	(nonstanga) ama tanga (amat	feing an feing an feing	<u>Liwa Ziwa Ji</u> w
LED strip K-	LED strip K-	LED strip K-	LED strip K-
CR-1220-24V	CR-1275-24V	CR-1820-HD-24V	CR-1910-HD-24V
Ref: K-	Ref: K-	Ref: K-CR-1820-	Ref: K-CR-1910-
CR-1220-24V	CR-1275-24V	HD-24V	HD-24V

RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V

	∑าสหารอา∑าสสหารอ∑าสเทลา
1	LED strip K-1530-
RGB-24V	RGB+W-24V
Ref: K-1275-	Ref: K-1530-

RGB+W-24V

RGB-24V

|--|

LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V





LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM





LED strip

LED strip WP-K-27/65-1920-24V Ref: Ref: WP-K-27/65-1920-24V K-27/65-1920-24V

LED strip Ref:

LED strip K-22/50-1728-24V K-30/18-1770-24V Ref: K-22/50-1728-24V K-30/18-1770-24V

.

MARKETING MATERIALS



Display P230-90075M Ref: 90075M



Presentation set 5 Ref: 90124