

PRODUCT DESCRIPTION

 Will accommodate w 	ider LED strip
--	----------------

FINISH :

Silver anodized

Black anodized

RAL

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- main and decorative lighting

Mounting

- to the surface, suspended or recessed, using dedicated accessories, properly selected screws, double-sided adhesive tape or mounting adhesive,

- the cover is cut to the length of the profile,

- easy assembly and disassembly by snapping in and out.

Additional information

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof,

- basic accessories: frosted cover and gray end caps,
- space for LED strip: 16.6 mm.

Profile bending

Minimum internal radius	Minimum external radius
400 mm	250 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile,

- internal radius refers to the extrusion bent so that the cover is facing the inside of the arch,
- external radius refers to the extrusion bent so that the cover is facing the outside of the arch,
- irregular curves are possible after consultation and individual quotation,
- when bending anodized extrusions, one should be aware of cracking of the anode coating (which may be more





or less visible depending on the radius).

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B9325ANODA_1	Silver anodized	1000 mm
B9325ANODA_2	Silver anodized	2000 mm
B9325ANODA_3	Silver anodized	3000 mm
B9325K7_1	Black anodized	1000 mm
B9325K7_2	Black anodized	2000 mm
B9325K7_3	Black anodized	3000 mm
B9325L9010OD_2	White RAL	2000 mm

TECHNICAL DRAWING





SILER profile and 45-STN mounting bracket profil SILER z mocownikiem 45-STN



RELATED PRODUCTS

COVERS

CLEAR COVERS



Ref: 17049 **110°**



FROSTED COVERS



END CAPS

REGULAR END CAPS







SILER grey End cap Ref: 24236

SILER black End cap Ref: 24382



ALUMINUM END CAPS





SILER-HQ End cap set Ref: 42630

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



45-STN Mounting bracket Ref: 24144





BZP-ZO Head Ref: 42214



FI-8-LIN-MR Fastener silver Ref: 42287



PUSZ-PRET-MR Fastener black Ref: 42281L9005



PUSZ-LIN-MR Fastener Ref: 42258



PUSZ-LIN-MR Fastener silver Ref: 42278



PUSZ-PRET-MR Fastener silver Ref: 42281



FI-8-LIN-MR Fastener black Ref: 42287L9005





45-ZO Head Ref: 42211



PUSZ-PRET-MR Fastener white Ref: 42281L9010



PUSZ-LIN-MR Fastener black Ref: 42278L9005



DP-45-MOC-ZZ Fastener Ref: 00654





DP-ZZ Fastener Ref: 00651



BZP Head Ref: 42213



PUSZ-LIN-MR













Fastener white Ref: 42287L9010







Ref: 00649



Fastener

Ref: 00652

DP Fastener Ref: 00644



DP-45-MOC-ZO Fastener Ref: 00653

MOUNTING SETS





Ref: 42603



M11 Fastener set M12 Fastener set Ref: 42610



W6 Fastener set Ref: 42604



M13 Fastener set Ref: 42611





RG-1 Fastener set black Ref: 42647L9005



Ref: 42609



RG-1 Fastener set silver Ref: 42647NI

RG-1 Fastener set white Ref: 42647L9010

RG-1 Fastener set silver satin Ref: 42647GSS

SEALING COMPONENTS



6 x 1.2 Gland Ref: 00802

LED TAPES


WHITE






[220]10]]220]10]]220]	ିକ୍ର ତାରେବ⊱ତୀତାତେ∰ କ୍ର ତାରେବ⊱ତୀତାତେ∰କ୍ର	(seeii)(geii)(seeii)(geii)(seeii)	(n norse nácho norse)nách nors
LED strip K-1210-12V Ref: K-1210-12V	LED strip K-1210-24V Ref: K-1210-24V	LED strip K-1220-12V Ref: K-1220-12V	LED strip K-1220-24V Ref: K-1220-24V
þanðariðandariðand	(nanstanji j ana (naji j anast	tinun žinum žinu	liyn Şiyn Şiy
LED strip K-1275-12V Ref: K-1275-12V	LED strip K-1275-24V Ref: K-1275-24V	LED strip K-1820- HD-24V Ref: K-1820- HD-24V	LED strip K-1910- HD-24V Ref: K-1910- HD-24V
Žađajtja žađajtja žad	ja a∙a≩raja∙a≝a a	[earl)grafjearljgrafjearl	(a ara ja araža aradalaraža araj
LED strip WP- K-1210-12V Ref: WP- K-1210-12V	LED strip WP- K-1210-24V Ref: WP- K-1210-24V	Taśma LED WP- K-1220-12V Ref: WP- K-1220-12V	LED strip LED WP- K-1220-24V Ref: WP- K-1220-24V
jan gan gan gan gan g	(naméranga) anan (nanga) anané	a in state with a fight in state with a fight in state	jan na Santa Santa
LED strip WP- K-1275-12V Ref: WP- K-1275-12V	LED strip WP- K-1275-24V Ref: WP- K-1275-24V	LED strip WP- K-1820-HD-24V Ref: WP-K-1820- HD-24V	LED strip K-0530- HD-24V 5.3W/m Ref: K-0530- HD-24V

HIGH EFFICACY



CRI 95+





RGB / RGB-W



ੂੱਬ ਕਾਸ਼ਾਗਕਰ ≣ੂਬ ਕਾਸਕਾਰਗ੍ਰ≣ਵਾਸਕਾਰ

LED strip K-1920-RGB+W-24V 19.2W/m Ref: K-1920-RGB+W-24V

LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip WP-K-1530-RGB+W-24V Ref: WP-K-1530-RGB+W-24V




LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM





K-27/65-1920-24V Ref: K-27/65-1920-24V



LED strip WP-K-22/50-1728-24V Ref: WP-K-22/50-1728-24V

LED strip WP-K-30/18-1770-24V Ref: WP-K-3018-1770-24V

MARKETING MATERIALS



Display P230-90120M Ref: 90120M



Presentation set 6 Ref: 90125

haringan aringan hari	(
LED strip K-22/50-1728-24V Ref: K-22/50-1728-24V	Ref: