

PRODUCT DESCRIPTION

- For installation on the steps
- Non-slip elements
- Two lighting options
- High mechanical resistance

FINISH:

Silver anodized



Black anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- warning lighting and anti-slip protection on the steps.

Mounting

- to a step, using properly selected screws.

Additional information

- $possibility \ of \ making \ a \ linear \ fixture \ with \ IP67 \ protection, \ which \ means \ the \ fixture \ is \ dust proof \ and \ waterproof$
- achieving IP67 is possible with the following covers: LIGER, KA, HS, KA-PRO and KA-COM
- the extrusion is sold with Anti-slip rubber strip
- LED strip concealed behind a rubber strip protects the edge of the step and has two types of lighting, warning and stair step lighting
- narrow LED strips (up to 6 mm) that emit light from the side in the channel under the silicone strip
- standard LED strip width (up to 10 mm) to illuminate the step


AVAILABLE LENGTHS

| Ref. nr. | surface finish | available lengths |
|--------------|-----------------|-------------------|
| 18042ANODA_1 | Silver anodized | 1000 mm |
| 18042ANODA_2 | Silver anodized | 2000 mm |



| Ref. nr. | surface finish | available lengths |
|--------------|-----------------|-------------------|
| 18042ANODA_3 | Silver anodized | 3000 mm |
| 18042K7_1 | Black anodized | 1000 mm |
| 18042K7_2 | Black anodized | 2000 mm |
| 18042K7_3 | Black anodized | 3000 mm |

TECHNICAL DRAWING





RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER black Cover Ref: 17040

CLEAR COVERS



KA clear Cover Ref: 17036



HS clear Cover Ref: 1370



KA-COM clear Cover Ref: 17122



KA-PRO clear Cover Ref: 17065

FROSTED COVERS



KA frosted Cover Ref: 17035



KA-PRO frosted Cover Ref: 17064



60 frosted Cover Ref: 17075 HS frosted Cover Ref: 1369





KA-COM frosted Cover Ref: 17121



LIGER frosted Cover Ref: 17037

END CAPS

REGULAR END CAPS





STEP-P grey End cap Ref: 24113



STEP-L grey End cap Ref: 24114



STEP-90 grey End STEP-L black End cap Ref: 24025



cap Ref: 24125



STEP-P black End cap Ref: 24126

ACCESSORIES

SEALING COMPONENTS



6.4 x 3.0 Gland Ref: 42264

ADDITIONAL ITEMS



Tool for mounting Anti-slip rubber anti-slip rubber strip Ref: 00023




strip 14 Ref: 17001


LED TAPES

WHITE





HIGH EFFICACY



LONG RUN



LED strip K-LR-1000-24V Ref: K-LR-1000-24V



SIDE VIEW



LED strip K-SE-1210-8-24V Ref: K-SE-1210-8-24V



LED strip K-SE-1210-8-24V Ref: K-SE-1210-8-24V



LED strip WP-K-SE-1210-8-24V Ref: WP-K-SE-1210-8-24V



LED strip WP-K-SE-1210-8-24V Ref: WP-K-SE-1210-8-24V

CRI 95+



LED strip WP-K-CR-1210-24V Ref: WP-K-CR-1210-24V



LED strip WP-K-CR-1220-24V Ref: WP-K-CR-1220-24V



LED strip WP-K-CR-1275-24V Ref: WP-K-CR-1275-24V



LED strip K-CR-1210-24V Ref: K-CR-1210-24V



LED strip K-CR-1220-24V Ref: K-CR-1220-24V



LED strip K-CR-1275-24V Ref: K-CR-1275-24V




LED strip K-CR-1820-HD-24V Ref: K-CR-1820-HD-24V



LED strip K-CR-1910-HD-24V Ref: K-CR-1910-HD-24V

RGB / RGB-W



LED strip K-1275-RGB-12V Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V Ref: K-1275-RGB-24V



LED strip WP-K-1275-RGB-12V Ref: WP-K-1275-RGB-12V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V Ref: WP-K-1920-120-RGB-24V



TUNABLE WHITE / DIM TO WARM



LED strip WP-K-27/65-1920-24V Ref: WP-K-27/65-1920-24V



LED strip K-22/50-1728-24V Ref: K-22/50-1728-24V K-30/18-1770-24V



LED strip K-30/18-1770-24V Ref:

MARKETING MATERIALS



Presentation set 1 Ref: 90051